

BRINGING OUT
THE BEAUTY IN FLOORS
SINCE 1919

Bona[®]



PROFESSIONAL FLOOR CARE 2019

PRODUCT CATALOGUE

Bona[®]

A Game Changer in Floor Care

Based on a century of floor treatment innovations, we now introduce a new line of cleaning and maintenance products for both wooden and resilient surfaces. Developed to extend floor life, the program consists of the products required to protect and maintain floors, ensuring they remain beautiful for longer.

Our Professional Floor Care range is made up of safe and sustainable products that deliver unbeatable durability, reduced downtime and outstanding results. No matter if it's a resilient floor or a wood floor, an airport terminal or a daycare centre, a dirty floor or a worn-out floor, we simply got you covered.



Cleaning



Deep Cleaning



Protecting

Contents

Wood

Cleaning	5
Deep Cleaning	6
Protecting	7
Lacquers for Wood Floors	9
Lacquers for Sport Floors	10
Lacquers for Wood Floors	12
Lacquers for Wooden Decks	13

Resilient

Cleaning	15
Protecting	16
Primers for Resilient Floors	17
Lacquers for Resilient Floors	17
Paint for Resilient Floors	18

Machines

FlexiSand System	21
Dust Free Sanding	22

Tools and Accessories

FlexiSand System	23
Deep Clean System	26
Supraflex System	27
Pads & Discs	28
Tools	29
Rollers	30
Other Tools	31

Index

Index - Products	34
Index - Article Numbers	35

Bona products are generally labelled with ML = Multilanguage Labels which means that they include all standard languages as shown below. When printing space does not allow it, the languages are divided into clusters ranging from ML1 – 3.

ML1 = GB, DE, FR, ES, PT, NL, IT, CZ, SK, HU
 ML2 = GB, SE, DK, FI, NO, IS, PL, EE, LT, LV
 ML3 = GB, RO, BG, GR, SL, HR, TR, UA, CN, RU



Recoating





Wood Floors

Bona[®]

Floor Care | Wood

Cleaning	Type	Article number	Packaging	Language
----------	------	----------------	-----------	----------

Bona Clean W10

Neutral, low-foaming cleaner specially developed for sealed wooden floors, lacquered or hardwax oiled. Suitable for both manual and machine cleaning. Safe for wood while maintaining high efficiency.



Key Benefits:

- Gently yet effective, even at low dosage
- Highly concentrated
- Low foaming

Technical Data:

pH-value: approx. 9 (concentrate)
Dilution: Normal cleaning: 50 ml to 10 litres water (1:200)
Intensive cleaning: 100 ml in 10 litres water (1:100)

	WM701013100	3 x 1 L	ML
	WM701020100	3 x 5 L	ML

Bona Sportive Cleaner

Concentrated detergent for frequent use on wooden sports floors. Suitable for machine cleaning. Leaves no dulling or slippery residue.



Key Benefits:

- Safe on wood
- Leaves no slippery residue
- Fresh smell

Technical Data:

Dilution: 1:100 for general use

	WM640020008	3 x 5 L	ML
--	-------------	---------	----

Bona Oil Soap

Based on vegetable oil, this long-lasting detergent is suitable for the frequent cleaning of oiled wooden floors. It is gentle on oiled surfaces, cleans and conditions.



Key Benefits:

- Specifically designed for oiled wooden floors
- Cleans and conditions
- Economic concentrate

Technical Data:

pH-value: 9-10 (diluted)
Dilution: 0.2 litre to 10 litres of water (2%)

	WM704013100	6 x 1 L	ML
	WM704020100	3 x 5 L	ML

Floor Care | Wood

Deep Cleaning	Type	Article number	Packaging	Language		
Bona Sportive Cleaner Plus 	Powerful detergent for removing buildup of body fats from sweat and other contaminants that cause the surface to become slippery. Often restores slip resistance and is able to remove black heel marks. Key Benefits: <ul style="list-style-type: none"> • Effective on black heel marks • Restores in many cases the surface's slip resistance • Suited for Bona Sportive Finish 		Technical Data: Dilution: 1:5			
				WM650020006	3 x 5 L	ML1
				WM650020007	3 x 5 L	ML2
Bona DeepClean W 	A concentrated cleaner for thorough deep cleaning of lacquered and oiled wooden floors. The unique formula provides optimal cleaning efficiency and removes stubborn scuff marks without risk of staining the wood. Can be used with scrubber driers and is particularly suited for the Bona PowerScrubber. Can also be used for manual cleaning. Key Benefits: <ul style="list-style-type: none"> • Powerful cleaning performance • Reduced pH prevents alkaline staining • Optimized for Bona PowerScrubber 		Technical Data: pH-value: approx. 9 (concentrate) Dilution: 1:10 – 1:20, parts concentrate to water			
				WM703013100	6 x 1 L	ML
				WM703020100	3 x 5 L	ML
Bona Remove W 	A concentrated polish stripper for removing Bona Shield W from wooden floors. Gentle yet effective, it restores slip resistance and effectively removes scuff marks. Key Benefits: <ul style="list-style-type: none"> • For removal of old maintenance coatings and contaminants • Reduced pH prevents alkaline staining • Free from hazard symbols 		Technical Data: pH-value: approx. 9 (concentrate) Dilution: 1:1 – 1:5, parts concentrate to water			
				WM702013100	6 x 1 L	ML
				WM702020100	3 x 5 L	ML

Protecting

Type

Article number

Packaging

Language

Bona Shield W

Maintenance coating based on Bona Lacquer technology, specifically developed for wooden floors. Easy to apply without buffing and quick drying. Repeated use actively extends the durability of the surface and prevents premature wear-through.



Key Benefits:

- High durability
- Quick drying
- Comfortable friction

Technical Data:

Dilution: Do not dilute

Application rate: 30-50 m²/L

matt	WP502313001	6 x 1 L	ML
gloss	EP597013001	6 x 1 L	ML
matt	WP502320001	3 x 5 L	ML
gloss	EP597020001	3 x 5 L	

Bona Oil Care

A rapid drying maintenance oil for protecting and reviving oiled wooden floors. Consists of a low-viscous blend of different vegetable oils with excellent penetration ability. Replenishes the wood pores for sustained protection. Available in Neutral as well as White and Grey for intense revival of previously pigmented surfaces.



Key Benefits:

- Restores and protects
- Low viscosity oil with good workability
- Low in VOC (<8%) and odour
- Safe for application on children's toys and countertops, EN 71-3 compliant

Technical Data:


Dilution: Do not dilute

Application rate: 50-100 m²/L



neutral	GT525113100	6 x 1 L	
white	GT525213100	6 x 1 L	
grey	GT525313100	6 x 1 L	
neutral	GT525120100	2 x 5 L	

Floor Care | Wood

Protecting	Type	Article number	Packaging	Language
<p>Bona Wax Oil W</p>  <p>Durable wax oil for periodic maintenance of oiled and hardwax oiled surfaces. Restores dry oiled floors and adds a protective layer of wax for increased resistance to water and spills. Consists of a concentrate of natural oils and waxes, containing less than 2% solvents.</p> <p>Key Benefits:</p> <ul style="list-style-type: none"> • Restores and protects • Low solvent content and low odour • Safe for application on children's toys and countertops, EN 71-3 compliant <p>Technical Data: Dilution: Do not dilute Application rate: 50-80 m²/L</p>		WP615013100	6 x 1 L	

Lacquers & Oils | Wood

Lacquers for Wood Floors	Type	Article number	Packaging	Language
--------------------------	------	----------------	-----------	----------

Bona Traffic HD

The world's toughest and fastest drying finish for wooden floors exposed to extreme wear. You can walk on it after just 12 hours. Used in hotels, restaurants and airports worldwide, where short downtime is essential. Waterbased and very low VOC and odor. Non-yellowing.

Key Benefits:

- The ultimate choice
- Superior protection for commercial and public areas
- Extra fast, allows full traffic after just 12 hours
- Very low VOC and odour

Technical Data:

- Base:** Polyurethane
Category: Waterborne 2-comp
Drying time: 2-3 h between coats
Application tools: Bona Roller
Coverage: 8-10 m²/L and application
- Complies to EN14904:2006 and DIN 18032:2 (suitable friction for sports floors)
 - EN 71:3 compliant



Silk Matt	WT155346001	3 × 4.95 L (incl. hardener)	ML1
Silk Matt	WT155346002	3 × 4.95 L (incl. hardener)	ML2
Silk Matt	WT155346003	3 × 4.95 L (incl. hardener)	ML3
Matt	WT155646001	3 × 4.95 L (incl. hardener)	ML1
Matt	WT155646002	3 × 4.95 L (incl. hardener)	ML2
Matt	WT155646003	3 × 4.95 L (incl. hardener)	ML3
Extra Matt	WT155946001	3 × 4.95 L (incl. hardener)	ML1
Extra Matt	WT155946002	3 × 4.95 L (incl. hardener)	ML2
Extra Matt	WT155946003	3 × 4.95 L (incl. hardener)	ML3

Bona Traffic HD Anti Slip

Adds the highest standard of friction in areas where it's needed the most – like stairs, nurseries and kitchens. Superb performance against wet spills.

Key Benefits:

- Increases protection from accidental slips (R9)
- Ready to use, no mixing required, safe results
- Very low VOC

Technical Data:

- Base:** Polyurethane
Category: Waterborne 2-comp
Drying time: 2-3 h between coats
Application tools: Bona Roller
Coverage: 8-10 m²/L and application



Anti Slip	WT155846001	3 × 4.95 L (incl. hardener)	ML1
Anti Slip	WT155846002	3 × 4.95 L (incl. hardener)	ML2
Anti Slip	WT155846003	3 × 4.95 L (incl. hardener)	ML3

Lacquers & Oils | Wood

Lacquers for Sports Floors

Type

Article number

Packaging

Language

Bona Sportive Primer



Primer made especially for handling the flexing and movement of wooden sports floors. Provides excellent adhesion to wood and is easy to apply on large surfaces thanks to excellent levelling properties and long open time. Suitable on practically all types of wood.

Key Benefits:

- No stretched finish or "white lines"
- Excellent abrasion properties
- Extended open time

Technical Data:

Base: Polyurethane
Category: Waterborne 1-comp
Drying time: 2–3 h between coats
Application: Bona Roller
Coverage: 8–10 m²/L and application

WB250024001

2 × 10 L

ML

Bona Sportive Finish



Finish made especially for handling the flexing and movement of wooden sports floors. Excellent levelling properties and long open time make it easy to apply on large surfaces. Approved to both of the leading standards for indoor sports floors (EN 14904:2006 & DIN 18032:2).

Key Benefits:

- High resistance to wear and scuffing
- Perfectly balanced friction
- Easy to maintain

Technical Data:

Base: Polyurethane
Category: Waterborne 2-comp
Drying time: 2–3 h between coats
Application: Bona Roller
Coverage: 8–10 m²/L and application
 • Complies to EN14904:2006 and DIN 18032:2 (suitable friction for sports floors)

Gloss	WT135024001	2 × 10.4 L (incl. hardener)	ML1
Gloss	WT135024002	2 × 10.4 L (incl. hardener)	ML2
Gloss	WT135024003	2 × 10.4 L (incl. hardener)	ML3
Matt	WT136624001	2 × 10.4 L (incl. hardener)	ML1
Matt	WT136624002	2 × 10.4 L (incl. hardener)	ML2
Matt	WT136624003	2 × 10.4 L (incl. hardener)	ML3
Hardener	WH360006001	1 × 0.2 L	ML1
Hardener	WH360006002	1 × 0.2 L	ML2
Hardener	WH360006003	1 × 0.2 L	ML3

Bona Sportive Hardener

To be used with
Bona Sportive Finish

Lacquers & Oils | Wood

Lacquers for Sports Floors	Type	Article number	Packaging	Language
----------------------------	------	----------------	-----------	----------

Bona Sportive Paint

A specialised line and court marking paint for use on finished wooden sport floors. Can be used to paint linemarkings but also complete court borders and zones.

Available in eight mixable vibrant colours to achieve an endless array of shades.

Key Benefits:

- Quick drying
- Requires no abrasion before overcoating
- Superb opacity (hiding ability)

Technical Data:

Base: Polyurethane

Category: Waterborne 1-comp

Drying time: 1–4 between coats

Application: Fine brush or short-haired roller

Coverage: 6–10 m²/L or 120–200 m of line-marking



	Black	WC470155001	2 × 1.75 L	ML
	White	WC490155001	2 × 1.75 L	ML
	Dark Blue	WC430255001	2 × 1.75 L	ML
	Light Blue	WC430155001	2 × 1.75 L	ML
	Red	WC420155001	2 × 1.75 L	ML
	Orange	WC420255001	2 × 1.75 L	ML
	Green	WC440155001	2 × 1.75 L	ML
	Yellow	WC410155001	2 × 1.75 L	ML

Lacquers & Oils | Wood

Lacquers for Wood Floors	Type	Article number	Packaging	Language
--------------------------	------	----------------	-----------	----------

Bona Hardwax Oil

Natural oil, modified for superior protection of wooden floors. Produces the warm look of an oiled floor while establishing a hardwearing and stain resistant surface that is spot-repairable and easy to maintain.

Key Benefits:

- Tough and dirt repellent
- Excellent water resistance
- Very low in odour
- Free from cobalt and ketoximes

Technical Data:

Base: Modified vegetable oils & waxes

Category: Hardening oil, 1-comp

Drying time (until use): 24 h

Application tools: Roller, brush or stainless steel trowel

Coverage: 20 m²/L

- EN 71:3 Compliant



Silk Matt	AF3102013	6 × 1 L	ML
Matt	AF3602013	6 × 1 L	ML
Extra Matt	AF390013001	6 × 1 L	ML
Silk Matt	AF3100025	2 × 2.5 L	ML
Matt	AF3600025	2 × 2.5 L	ML
Extra Matt	AF390015001	2 × 2.5 L	ML
Silk Matt	AF3102010	1 × 10 L	ML
Matt	AF3602010	1 × 10 L	ML
Extra Matt	AF390024001	1 × 10 L	ML

Lacquers & Oils | Wood

Lacquers for Wooden Decks

Type	Article number	Packaging	Language
------	----------------	-----------	----------

Bona Decking Oil

A concentrated blend of vegetable oils, modified for superior impregnation and the long-lasting protection of decking and other exterior woodwork. It enhances the natural wood grain while protecting against moisture ingress, thus reducing the potential of wood cracking and warping.



Key Benefits:

- Long-lasting protection
- Contains UV protection
- Excellent water repellence

Technical Data:

Base: Modified vegetable oils

Category: Hardening oil, 1-comp

Drying time (until use): 24 h

Application: Wide brush or mohair roller

Coverage: Approx. 20 m²/L

	Neutral	GT551115001	4 × 2.5 L	ML
	Neutral	GT551124001	1 × 10 L	ML
	Mahogany	GT551215001	4 × 2.5 L	ML
	Teak	GT551315001	4 × 2.5 L	ML
	Grey	GT551515001	4 × 2.5 L	ML

Bona Decking Reviver

Bona Decking Reviver is made for cleaning heavily soiled, decayed and/or previously oiled wooden decking. Bona Decking Reviver dissolves old oil and degraded wood making your deck look like new again.



Key Benefits:

- Effective and safe for garden
- Washes away old oil and degraded wood
- Ready-to-use formula

Technical Data:

pH-value: Approx. 11

Dilution: Ready to use. Do not dilute.





Coverage: 15-20m²/L

WM635019001	3 × 4 L	ML1
WM635019002	3 × 4 L	ML2
WM635019003	3 × 4 L	ML3



Resilient Floors

Bona®

Cleaning	Type	Article number	Packaging	Language
<p>Bona Clean R50</p> <p>Highly concentrated, slightly alkaline cleaning agent. It is especially suited for the routine cleaning of resilient flooring treated with products of the Bona Resilient System. Bona Clean R50 is used for daily cleaning as well as to remove intensive soiling. Also suitable for use in automatic cleaning systems.</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> </div> <p>Key Benefits:</p> <ul style="list-style-type: none"> • Gently yet effective, even at low dosage • Highly concentrated • Low foaming <p>Technical Data:</p> <p>pH-value: approx. 9 (concentrate) Dilution: Normal cleaning: 50 ml to 10 L water (1:200) Intensive cleaning: 250 ml in 10 L water (1:40)</p>		EM701020001	6 x 1 L	ML
			EM701013001	3 x 5 L
<p>Bona Clean R60</p> <p>Mild, water soluble maintenance product for the routine cleaning & care of resilient floors. Has dual action properties, cleaning & leaving a thin, protective film in one step. Bona Clean R60 can give a subtle increase in gloss & is compatible with Bona Pure coating systems & other resilient floors.</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> </div> <p>Key Benefits:</p> <ul style="list-style-type: none"> • Cleaning and Maintenance in ONE • Leaves a resolvable protective film • Low foaming <p>Technical Data:</p> <p>pH-value: approx. 9,5 (concentrate) Dilution: 50 ml to 10 L (1:200) or 1 L to 10 L (1:10) cold water</p>		EP550013001	6 x 1 L	ML
			EP550020001	3 x 5 L
<p>Bona Remove R</p> <p>Cleaning agent developed for stripping polish, dirt and old cleaning residue from resilient floor coverings such as PVC, Linoleum, LVT, or Rubber. It is suitable for removing polish and contaminants both as part of a maintenance program and prior to treatment with a Bona Pure coating.</p> <div style="text-align: center;">  </div> <p>Key Benefits:</p> <ul style="list-style-type: none"> • For removal of old maintenance coatings and contaminants • Reduced pH prevents alkaline staining • Free from hazard symbols <p>Technical Data:</p> <p>pH-value: approx. 9,3 (concentrate) Dilution: 1:1 – 1:5, parts concentrate to water</p>		EM70202001	3 x 5 L	ESP

Floor Care | Resilient

Cleaning

Type

Article number

Packaging

Language

Bona PowerRemove R

Aggressive cleaning agent developed for stripping polish, dirt and old cleaning residue from resilient floor coverings such as PVC, Linoleum, LVT, or Rubber. Quick and efficient. Prior to using Bona PowerRemove we recommend to trial whether Bona Remove R can suffice.



Key Benefits:

- For quick removal of old maintenance coatings and contaminants
- Very high degree of efficiency
- Reduced pH prevents alkaline staining

Technical Data:

pH-value: approx. 8,8 (concentrate)
Dilution: 1:1 – 1:5, parts concentrate to water

EM703020001

3 x 5 L

ML

Protecting

Type

Article number

Packaging

Language

Bona Shield R

A water-based polyurethane maintenance coat to protect newly renovated resilient floor coverings and refresh existing resilient floors when a complete renovation is not possible.



Key Benefits:

- High durability
- Quick drying
- Comfortable friction

Technical Data:

Dilution: Do not dilute
Application rate: 30-50 m²/L

Matt

EP501313001

6 x 1 L

ML

Gloss

EP597013001

6 x 1 L

ML

Matt

EP501320001

3 x 5 L

ML

Gloss

EP597020001

3 x 5 L

ML

Primers & Lacquers | Resilient

Primers for Resilient Floors	Type	Article number	Packaging	Language
------------------------------	------	----------------	-----------	----------

Bona LinoPrime

Quick drying PUR-based primer for pore filling of deep cleaned and sanded linoleum floors. LinoPrimeQuick drying PUR-based primer for pore filling of deep cleaned and sanded linoleum floors. Improves levelling and smoothness of the following coat, which typically can be applied already after 1 hour.



Key Benefits:

- Fills pores and reduces absorbency
- Ultra-quick drying
- Essential for linoleum

Technical Data:

Category: Waterborne 2-comp
Drying time: 1-2 h between coats
Application tools: Bona Roller (5 or 11 mm)
Coverage: 8-10 m²/L and application

		EB400620001	3 x 5 L (incl. hardener)	ML1
		EB400620002	3 x 5 L (incl. hardener)	ML2
		EB400620003	3 x 5 L (incl. hardener)	ML3
Bona LinoPrime Hardener To be used with Bona LinoPrime	Hardener	EH390002001	1 x 0.2 L	ML1
	Hardener	EH390002002	1 x 0.2 L	ML2
	Hardener	EH390002003	1 x 0.2 L	ML3

Lacquers for Resilient Floors	Type	Article number	Packaging	Language
-------------------------------	------	----------------	-----------	----------

Bona Pure

A hard-elastic and hardwearing PUR coating for the treatment of resilient floor coverings. Serves as a long-term surface protection for heavily trafficked industrial and commercial areas, restoring appearance and simplifying routine maintenance. Consists of a waterborne, clear, non-yellowing formula.



Key Benefits:

- Hardwearing PUR protection for resilient floors
- Ultra-quick drying for minimal downtime.
- Optimal application and levelling properties
- Low slip potential and slip resistance compliant to indoor sports surfac

Technical Data:

Category: Waterborne 2-comp
Drying time: 2-4 h between coats
Application tools: Bona Roller (11 mm)
Coverage: 8-10 m²/L and application

	Matt	ES200620001	3 x 5 L	ML1
	Matt	ES200620002	3 x 5 L	ML2
	Matt	ES200620003	3 x 5 L	ML3

Floor Care | Resilient

Paint for Resilient Floors

Type

Article number

Packaging

Language

Bona Pure Colour



Hard-elastic and hardwearing PUR-based paint for renovation of resilient floor coverings in heavily trafficked commercial and industrial areas. Heavily pigmented and medium-dark to dark colours need just one single coat. Should a second coat be needed, it can usually be done just one hour after applying the first coat.

Available in a wide range of RAL and NCS colours.

Key Benefits:

- Heavily pigmented for excellent hide
- Ultra-quick drying for minimal downtime
- Available in eight popular standard colours

Technical Data:

Category: Waterborne 2-comp
Drying time: 1-2 h between coats
Application tools: Bona Roller (5 or 11 mm)
Coverage: 8-10 m²/L and application

	RAL 5014 Pigeon blue	EC801613001	1 × 1 L (incl. Hardener)	ML1
	RAL 5014 Pigeon blue	EC801620001	1 × 5 L (incl. Hardener)	ML1
	RAL 5014 Pigeon blue	EC801620002	1 × 5 L (incl. Hardener)	ML2
	RAL 5014 Pigeon blue	EC801620003	1 × 5 L (incl. Hardener)	ML3
	RAL 7012 Onyx grey	EC802613001	1 × 1 L (incl. Hardener)	ML1
	RAL 7012 Onyx grey	EC802620001	1 × 5 L (incl. Hardener)	ML1
	RAL 7012 Onyx grey	EC802620002	1 × 5 L (incl. Hardener)	ML2
	RAL 7012 Onyx grey	EC802620003	1 × 5 L (incl. Hardener)	ML3
	RAL 7038 Agate grey	EC811713001	1 × 1 L (incl. Hardener)	ML1
	RAL 7038 Agate grey	EC811720001	1 × 5 L (incl. Hardener)	ML1
	RAL 7038 Agate grey	EC811720002	1 × 5 L (incl. Hardener)	ML2
	RAL 7038 Agate grey	EC811720003	1 × 5 L (incl. Hardener)	ML3
	RAL 5007 Brilliant blue/Atlantic	EC803613001	1 × 1 L (incl. Hardener)	ML1
	RAL 5007 Brilliant blue/Atlantic	EC803620001	1 × 5 L (incl. Hardener)	ML1
	RAL 5007 Brilliant blue/Atlantic	EC803620002	1 × 5 L (incl. Hardener)	ML2
	RAL 5007 Brilliant blue/Atlantic	EC803620003	1 × 5 L (incl. Hardener)	ML3
	RAL 6034 Pastel turquoise	EC804620001	1 × 1 L (incl. Hardener)	ML1
	RAL 6034 Pastel turquoise	EC804620002	1 × 5 L (incl. Hardener)	ML2
	RAL 6034 Pastel turquoise	EC804620003	1 × 5 L (incl. Hardener)	ML3

Floor Care | Resilient

Cleaning

Deep Cleaning

Protecting

Recoating

Tools & Accessories

Paint for Resilient Floors

Type

Article number

Packaging

Language

Bona Pure Colour



	RAL 6034 Pastel turquoise	EC804613001	1 x 5 L (incl. Hardener)	ML1
	RAL 7047 Light grey	EC812720001	1 x 1 L (incl. Hardener)	ML1
	RAL 7047 Light grey	EC812720002	1 x 5 L (incl. Hardener)	ML2
	RAL 7047 Light grey	EC812720003	1 x 5 L (incl. Hardener)	ML3
	RAL 7047 Light grey	EC812713001	1 x 5 L (incl. Hardener)	ML1
	RAL 1001 Beige/Sunrise	EC813720001	1 x 1 L (incl. Hardener)	ML1
	RAL 1001 Beige/Sunrise	EC813720002	1 x 5 L (incl. Hardener)	ML2
	RAL 1001 Beige/Sunrise	EC813720003	1 x 5 L (incl. Hardener)	ML3
	RAL 1001 Beige/Sunrise	EC813713001	1 x 5 L (incl. Hardener)	ML1
	RAL 1015 Light Ivory	EC814720001	1 x 1 L (incl. Hardener)	ML1
	RAL 1015 Light Ivory	EC814720001	1 x 5 L (incl. Hardener)	ML2
	RAL 1015 Light Ivory	EC814720001	1 x 5 L (incl. Hardener)	ML3
	RAL 1015 Light Ivory	EC814713001	1 x 5 L (incl. Hardener)	ML1
	Colour Custom	EC800013001	1 x 1 L (incl. Hardener)	ML1
	Colour Custom	EC800013002	1 x 1 L (incl. Hardener)	ML2
	Colour Custom	EC800013003	1 x 1 L (incl. Hardener)	ML3
	Colour Custom	EC800020001	1 x 5 L (incl. Hardener)	ML1
	Colour Custom	EC800020002	1 x 5 L (incl. Hardener)	ML2
	Colour Custom	EC800020003	1 x 5 L (incl. Hardener)	ML3

Bona R Creative Chips

Acrylate-based plastic chips for a livelier impression.
To be used in combination with Bona Pure Colour.

Key Benefits:

- Salt & Pepper
- Black & White
- Terra-mix



Salt & Pepper	ES206013001	1 x 1 kg	ML
Black & White	ES206013002	1 x 1 kg	ML
Terramix	ES206013003	1 x 1 kg	ML



Machines Tools and Accessories

Bona®

Machines

FlexiSand System

Type

Article number

Dimension

Sales unit

Bona FlexiSand



A powerful and flexible machine that can be equipped with different drive plates for a wide variety of floor preparation jobs. Its robust construction ensures stable operation, even under heavy load. Bona FlexiSand is compatible with the Bona Power Drive, a unique drive plate that allows powerful, direction-free sanding down to the bare wood. Available with a 1.5 and 1.9 kW motor.

Key Benefits:

- Powerful single-speed motor
- Foldable handle reduces space during transportation
- Large wheels for easy transportation
- Bona Power Drive ready

Technical Data:

Abrasive disc speed: 147 rpm
Motor Power: 1.5/1.9 kW
Total weight: 45 kg
Height/Width/Depth: 1170 mm / 490 mm / 640 mm
Disc diam: 407 mm

1.9 kW	AMO310002	230 V / 50 Hz	1
1.5 kW	AMO310001	230 V / 50 Hz	1
1.9 kW	AMO310007	220 V / 60 Hz	1

Extra Weights for Bona FlexiSand 1.9



For increased power during coarse sanding with the Bona FlexiSand 1.9.

ASK3199940008

2 × 7 kg

1 Set

Machines

Dust Free Sanding

Type

Article number

Dimension

Sales unit

Bona DCS 25



Bona DCS 25 is a powerful industrial vacuum cleaner for dust free sanding.

Bona DCS 25 is developed for the collection of very fine and health hazardous dust, classified in Class H according to EN 60 335-2-69. Bona DCS 25 meets the toughest requirements for vacuum cleaners within the construction industry today. The machine is ideal for collection of fine and health hazardous wood dust from sanding machines. Bona DCS 25 is a part of Bonas Dust Free Sanding offer to the market. It can be used in combination with all Bona sanding machines.

Key Benefits:

- Dust-free sanding
- Smaller size for convenient transportation
- Low power consumption
- Electrical outlet with automatic start/stop
- 7.5 m non marking hose

Technical Data:

Weight: 20 kg
Dimensions: 550 x 500 x 1070/830 mm
Collection capacity (bag): Approx. 16 litres wood dust
Motor: 1450W, 230V, 6A
Air flow: 194 cubic metres per hour
Pre-filter: Teflon coated membrane filter
HEPA filter: Class H 13 (99.996%, 0.3µm), 1,1 sq.m
Hose aperture: 35 mm in diameter
Length of hose: 7.5 m

AMO540000

1 Piece

Bona DCS 70



The Bona DCS 70 is a powerful vacuum unit for dust free sanding.

Its two-step cyclonic separation and unique filter design effectively contains dust within the machine, even changing the dust bag can be done completely dust free. With the DCS 70 connected to the sanding machine there is no need to seal off connecting rooms or cover paintings and bookshelves and the environment will be a lot healthier and nicer to work in compared to using regular dust bags on the sanding machine.

Key Benefits:

- Dust-free sanding
- Ergonomic design and convenient transportation
- Low power consumption
- Quick and dust free swap of dust bags. Unique seamless dust bag solution using LongoPac

Technical Data:

Weight: 43 kg
Dimensions: 800 mm x 600 mm x 1200 mm
Collection capacity: Approx. 70 litres
Motor: 1400 W, 230 V, 5 A
Air flow: 235 m³ / hour
Coarse filter: Conical folded polyester filter, 1.0 m²
Fine filter: Class H 13 (99.996%, 0.3 µm), 1.0 m²
Hose aperture: Ø 35 mm
Length of hose: 7.5 m including connection adapters for Bona Belt, Bona FlexiDrum, Bona Edge, Bona Mini Edge and Bona Edge 130

230V,1.4KW

AMO530005



1 Piece

230V,1.4KW UK Plug




AMO530005GB

1 Piece





Tools & Accessories

FlexiSand System	Type	Article number	Dimension	Sales unit							
Bona Power Drive for Bona FlexiSand 	<p>To be used exclusively with the Bona FlexiSand 1.5 or Bona FlexiSand 1.9. Creates a new dimension for sanding down to bare wood Using a direction-free sanding technique, the drive combines excellent performance with easy operation. Four rotating discs sand closely to the walls, which reduces the need for edge sanding.</p> <p>Key Benefits:</p> <ul style="list-style-type: none"> • For powerful rotary sanding to bare wood • Reduces need for edge sanding. Only leaves a 3 cm strip against the wall. • Delivers a fantastically fine and smooth sanding result <p>Technical Data:</p> <p>Compatible with: Bona FlexiSand 1.5/1.9</p> <p>No. of discs: 4</p> <p>Disc diam.: 150 mm</p> <p>Weight: 6.7 kg</p> <p>Dimensions: 410 mm / 410 mm / 93 mm</p>	ASO312540		1 Piece							
		<p>Working lamp with 2 LED lamps Two powerful LED lamps for better visibility when working with the Bona FlexiSand 1.5.</p>  <table border="1"> <tbody> <tr> <td>230 V</td> <td>ASO319000</td> <td></td> <td>1 Piece</td> </tr> <tr> <td>115 V</td> <td>ASO319050</td> <td></td> <td>1 Piece</td> </tr> </tbody> </table>				230 V	ASO319000		1 Piece	115 V	ASO319050
230 V	ASO319000		1 Piece								
115 V	ASO319050		1 Piece								





Tools & Accessories

FlexiSand System	Type	Article number	Dimension	Sales unit
<p>Bona Quattro Disc</p>  <p>Four-plate disc for an excellent surface finish. Perfect for reducing and smoothing out drum marks and rotational scratches from edger machines. The Bona Quattro Disc will optimise your sanding results and is perfectly balanced for high efficiency combined with smooth end results.</p>	<p>Ø 407 mm</p>	<p>ASO312530</p>	<p>4 x Ø 150 mm</p>	<p>1 Piece</p>
<p>Replacement discs</p> 	<p>Quattrodisc</p>	<p>ASO319934</p>	<p>4 x Ø 150 mm</p>	<p>1 set</p>
	<p>Multidisc</p>	<p>ASO319936</p>	<p>6 x Ø 125 mm</p>	<p>1 set</p>
<p>Bona Multidisc</p>  <p>With its six-plate construction, the Bona Multidisc creates an exceptionally smooth and flat surface finish. A tool perfect to use before staining or oiling wooden floors with pigmented oil.</p>	<p>Ø 125 mm</p>	<p>ASO312520</p>	<p>6 x Ø 125 mm</p>	<p>1 Piece</p>



Tools & Accessories

FlexiSand System	Type	Article number	Dimension	Sales unit
<p>Bona Power Drive NEB</p> 	<p>The Bona Power Drive NEB, used exclusively with the Bona FlexiSand 1.9, adds a new dimension to sanding and wire brushing wood floors, using only one tool. The flexible Bona Power Drive NEB makes it possible to change between the traditional sanding discs and specially developed brushes. With its specially designed click-on mount, attachments can be changed in a minute. Using direction-free sanding and brushing techniques, the drive combines excellent performance with easy operation. NEB Discs sold separately</p> <p>Key Benefits:</p> <ul style="list-style-type: none"> • Flexible - one drive plate for both sanding and brushing jobs. • Reduces need for edge sanding. Only leaves a 3 cm strip against the wall. • Delivers a fantastically fine and smooth sanding result 		<p>Technical Data: Compatible with: Bona FlexiSand 1.9 No. of discs: 4 Disc diam.: 150 mm</p>	
		ASK3199940991		1 Piece
<p>Set of four sanding Discs for Bona Power Drive Neb NEB</p> 	<p>Sanding Discs with NEB attachment.</p>			
		ASK3199941010	4 x Ø 150 mm	1 Set
<p>Drive Ring for Bona Power Drive and Power Drive NEB</p> 	<p>Gear ring for the Bona Flexisand 1.9. Necessary if your Flexisand 1.9 is not already equipped with this.</p>			
		ASO312082		1 Piece
<p>Set of four Resilient Nylon Brushes for Bona Power Drive NEB</p> 	<p>Nylon brushes to be mounted to Power Drive NEB by specially designed click-on technology. To be used for cleaning and sanding of different types of structured resilient floors, such as knobby rubber floors.</p>			
		ASK3199941040	4 x Ø 150 mm	4 Pieces

Tools & Accessories

Deep Clean System	Type	Article number	Dimension	Sales unit
<p>Bona Power Scrubber</p>  <p>A compact, powerful scrubbing machine for cleaning varnished & oiled wooden floors. When used with Bona Deep Clean Solution, it removes the toughest dirt & grime from wooden floors with ease. The two counterrotating cylindric brushes clean deeply, even on rough, brushed parquet & wooden floors with bevelled edges. The rubber squeegees ensure an extremely effective water pickup, making it safe to use on wooden floors. Also suitable & recommended for cleaning greyed outdoor deckings.</p> <p>Key Benefits:</p> <ul style="list-style-type: none"> • Powerful and easy to manoeuvre • Extremely effective water pickup • Easy to fill, clean and transport • Indoor and outdoor use <p>Technical Data:</p> <p>Motor rating: Max 2700 W, Avg. 1900 W Machine weight: 34.5 kg Scrubbing brush: 2 x 400 mm soft white nylon Solution capacity: 10 L Recovery tank capacity: 10 L Dimensions: 520 mm x 470 mm x 300 mm</p>		230V, 2.2KW	AM400201100	1 Piece
<p>Roller Brush</p> <p>White - For cleaning oiled & lacquered floors. Green - Lightly abrasive for more aggressive cleaning of oiled floors or deep cleaning of resilient floors. Red - For cleaning oiled, hardwax oiled or resilient floors. Orange - For cleaing profiled wooden deckings. Black - Brushes For deep cleaning of tiles & concrete.</p> 				
	white brush	AS3647622500		1 Piece
	green brush	AS3647622520		1 Piece
	red brush	AS3647624580		1 Piece
	orange brush	AS3647625250		1 Piece
	black brush	AS3647624810		1 Piece
<p>Bona Power Scrubber abrasive drum</p>  <p>Slightly abrasive for the thorough cleaning and light sanding of resilient floor coverings with a strutured surface.</p>			AS3686356910	1 Piece
<p>Bona Power Scrubber drum holder</p>  <p>Drum insert for PowerScrubber Abrasive Drums.</p>			AS3647622280	1 Piece

Tools & Accessories

Supraflex System	Type	Article number	Dimension	Sales unit
<p>Bona SupraFlex</p>  <p>Bona Supraflex is the perfect sanding companion to the Bona Power Drive NEB, helping you with those hard-to-reach areas. It supports all functions of the Bona Power Drive NEB and can fit both sanding discs as well as brushes. M14 tool fixture – easy to change between sanding disc to brushes.</p> <p>Key Benefits:</p> <ul style="list-style-type: none"> • Powerful 1400 W motor • Stepless speed selection (600-2100 rpm) • Low height – Easy to reach under staircases, toe kicks and radiators • Dust cover allows connection to Bona DCS for dust free sanding • Noise reduction through innovative planetary and angular gears <p>Technical Data:</p> <p>Power: 1400 W 230 V – 50/60 Hz Speed: 600-1200 rpm (stepless) Tool fixture: M14 Disc diameter: 150 mm Weight: 2.6 kg</p>		AMF100000	Ø 150 mm	1 Piece
<p>Cup Brush Nylon M14</p>  <p>Cup Brush Nylon for use together with Bona SupraFlex sander.</p>		ASF100300	Ø 150 mm	1 Piece

Cleaning






Deep Cleaning

Protecting






Recoating

Tools & Accessories






Tools & Accessories

Pads & Discs		Type	Article number	Dimension	Sales unit
Bona Copper Disc 		P60	AA15004060	150 mm	4 Pieces
		P80	AA15004080	150 mm	4 Pieces
Bona Diamond Abrasive 		Made using the hardest sanding agents in the world, Bona Diamond Abrasives are unique, delivering unparalleled sanding efficiency, durability and surface smoothness – whether sanding on bare wood or in preparation for recoating. Because the diamond grits are hard but not sharp, the result after fine sanding is a smooth, virtually scratch-free surface. Bona Diamond Abrasives last up to 15 times longer than competing screen or multihole sanding discs and deliver consistent performance, even after 100 m ² of sanding. And thanks to its unmatched hardness, each disc maintains its sanding performance throughout its lifetime.			
		Grit 80	AAS472000808	150 mm	8 Pieces
		Grit 120	AAS472001208	150 mm	8 Pieces
		Grit 240	AAS472002408	150 mm	8 Pieces
Intermediate Pads for Bona Diamond Abrasive 		A pressure-equalizing foam pad, improving the ability to follow the contours of the surface.			
			AAS472200008	150 mm	4 Pieces
Bona Super Pad 		Thick pad for Bona FlexiSand and Bona Buffer.			
		White	AAS867300058	Ø 407 mm x 25 mm	5
		Tan	AAS867300038	Ø 407 mm x 25 mm	5
		Red	AAS867300048	Ø 407 mm x 25 mm	5
		Green	AAS867300028	Ø 407 mm x 25 mm	5
		Brown	AAS867300068	Ø 407 mm x 25 mm	5
		Black	AAS867300018	Ø 407 mm x 25 mm	5
Bona Scrad Pad 		Abrasive pad for Bona FlexiSand 1.5 and Bona Buffer.			
		Grit 320	AAS854303208	407 mm	5 Pieces





Tools & Accessories

Tools	Type	Article number	Dimension	Sales unit
<p>Bona Cotton Cloth</p> 	Rip-resistant cotton cloths for oiling, cleaning & buffing jobs.			
	50 x 60 cm	AT32086000		10 Pieces
<p>Bona Wool Pad</p> 	Pad for Bona FlexiSand & Bona Buffer. Made of genuine sheep wool for the application of oil & polishing of oiled or waxed floors. Wool produces more heat compared to synthetic pads, which improves the penetration of oil into the wood & accelerates the drying process. Contains natural lanolin (wool wax) for a satin finish.			
	5 mm x 410 mm	AA68071000		10 Pieces
<p>Bona Commercial System Kit</p> 	Lightweight yet sturdy telescopic pole made of brushed aluminium for superior durability. The 60 cm wide mop base is specially designed with a raised edge that helps trap dirt & increases scrubbing pressure. Dusting Pad & Cleaning Pad included.			
		WM710013489		10 Pieces
<p>Bona Commercial Line Cleaning Pad 24"</p> 	To be used wet. Consists of highly absorbent microfiber with excellent scrubbing properties the effective removal of stubborn dirt.			
		AX0003544		12 Pieces
<p>Bona Commercial Line Dusting Pad 24"</p> 	To be used dry. Consists of a special mix of short & long fibres with an electrostatic charge to trap & remove loose dust, dirt & debris in a quick, safe way.			
		AX0003543		12 Pieces





Tools & Accessories

Rollers	Type	Article number	Dimension	Sales unit
Bona Velour Roller 25 cm 	Velour roller suited for the application of hardwax oil as well as epoxy.			
	25 cm	AT31005000		12 Pieces
Bona Microfiber roller 5 mm 	Short pile microfiber roller especially suitable for hardwax oil and waterborne paint. 5 mm pile.			
	25 cm	AT31120897		10 Pieces
Bona Microfiber roller 11 mm 	Microfiber roller for an even application of lacquer producing a low degree of foam. 11 mm pile.			
	25 cm	AT31002200		10 Pieces
Bona Microfiber Roller 11 mm 	Microfiber roller for an even application of lacquer producing a low degree of foam. 11 mm pile.			
	41,5 cm	AT31002600		5 Piece
Roller Handle - 30-50 cm 	Adjustable aluminium handle for 30-50 cm wide rollers.			
	30-50 cm	AT31002800		5 Piece




Tools & Accessories

Rollers	Type	Article number	Dimension	Sales unit
<p>Bona Extension Bar</p>  <p>Professional extension bar in aluminium with quick-release locking function.</p>	1.10–2.00 m	AT31401002		1 Piece
<p>Handle for Bona Roller 25cm, quick release</p>  <p>Corrosive resistant handle for 25 cm rollers.</p>	25 cm	AT31014001	25 cm	1 Piece
<p>Edge Roller</p>  <p>Small sized roller with extra large diameter for application of lacquer or paint along edges. 8 mm microfiber pile.</p>	12 cm	AT31002500		1 Piece
<p>Roller Handle</p>  <p>Handle for small rollers.</p>	10 cm	AT31004000		1 Piece

Tools & Accessories

Other Tools	Type	Article number	Dimension	Sales unit
<p>Bona 10L Mix-Bucket with Lid</p> 		AT31465000		1 Piece
<p>Bucket 22 ltr. incl. Castors</p> 		AT31008032		1 Piece
<p>Bona Radiator brush</p> 	6 cm	AT31211060		1 Piece
<p>Bona DCS 25 Fleece Dust Bag</p> 	Fleece filter dust bag for Bona DCS 25.	ASO540001		10 Pieces

Tools & Accessories

Other Tools	Type	Article number	Dimension	Sales unit
<p>Shoe Cover blue</p> 	50 pcs/25 pairs per pack	AT33054000		1 Pack
<p>Polish Applicator</p> 	40 cm	AT31409000		1 Piece
<p>Extra Cotton Sleeve</p>	40 cm	AT31409001		1 Piece
<p>Bona Ventilator</p> 		ASO902010		1 Piece

Cleaning

Deep Cleaning

Protecting

Recoating

Tools & Accessories

Index - Products

Product	Page	Product	Page
Bona 10L Mix-Bucket with Lid	32	Bona SupraFlex	27
Bona Clean R50	15	Bona Traffic HD	9
Bona Clean R60	15	Bona Traffic HD Anti Slip	9
Bona Clean W10	5	Bona Wax Oil W	8
Bona Commercial Line Cleaning Pad 24"	29	Bona Velour Roller 25 cm	30
Bona Commercial Line Dusting Pad 24"	29	Bona Ventilator	33
Bona Commercial System Kit	29	Bona Wool Pad	29
Bona Copper Disc	28	Bucket 22 ltr. incl. Castors	32
Bona Cotton Cloth	29	Cup Brush Nylon M14	27
Bona DCS 25	22	Drive Ring for Bona Power Drive and Power Drive NEB	25
Bona DCS 25 Fleece Dust Bag	32	Edge Roller	31
Bona DCS 70	22	Extra Weights for Bona FlexiSand 1.9	21
Bona Decking Oil	13	Handle for Bona Roller 25cm, quick release	31
Bona Decking Reviver	13	Intermediate Pads for Bona Diamond Abrasive	28
Bona DeepClean W	6	Polish Applicator	33
Bona Diamond Abrasive	28	Replacement discs	24
Bona Extension Bar	31	Roller Brush	26
Bona FlexiSand	21	Roller Handle	31
Bona Hardwax Oil	12	Roller Handle - 30-50 cm	30
Bona LinoPrime	17	Set of four Resilient Nylon Brushes for Bona Power Drive	25
Bona LinoPrime Hardener	17	Set of four sanding Discs for Bona Power Drive Neb NEB	25
Bona Microfiber roller 11 mm	30	Shoe Cover blue	33
Bona Microfiber Roller 11 mm	30	Working lamp with 2 LED lamps	23
Bona Microfiber roller 5 mm	30		
Bona Multidisc	24		
Bona Oil Care	7		
Bona Oil Soap	5		
Bona Power Drive for Bona FlexiSand	23		
Bona Power Drive NEB	25		
Bona Power Scrubber	26		
Bona Power Scrubber abrasive drum	26		
Bona Power Scrubber drum holder	26		
Bona PowerRemove R	16		
Bona Pure	17		
Bona Pure Colour	18		
Bona Quattro Disc	24		
Bona R Creative Chips	19		
Bona Radiator brush	32		
Bona Remove R	15		
Bona Remove W	6		
Bona Scrad Pad	28		
Bona Shield R	16		
Bona Shield W	7		
Bona Sportive Cleaner	5		
Bona Sportive Cleaner Plus	6		
Bona Sportive Finish	10		
Bona Sportive Hardener	10		
Bona Sportive Paint	11		
Bona Sportive Primer	10		
Bona Super Pad	28		

Index - Article Numbers

Article No.	Page	Article No.	Page	Article No.	Page	Article No.	Page
AA15004060	28	ASO319936	24	EC812713001	19	WC490155001	11
AA15004080	28	ASO540001	32	EC812720001	19	WH360006001	10
AA68071000	29	ASO902010	33	EC812720002	19	WH360006002	10
AAS472000808	28	AT31002200	30	EC812720003	19	WH360006003	10
AAS472001208	28	AT31002500	31	EC813713001	19	WM640020008	5
AAS472002408	28	AT31002600	30	EC813720001	19	WM650020006	6
AAS472200008	28	AT31002800	30	EC813720002	19	WM650020007	6
AAS854303208	28	AT31004000	31	EC813720003	19	WM701013100	5
AAS867300018	28	AT31005000	30	EC814713001	19	WM701020100	5
AAS867300028	28	AT31008032	32	EC814720001	19	WM702013100	6
AAS867300038	28	AT31014001	31	EC814720001	19	WM702020100	6
AAS867300048	28	AT31120897	30	EC814720001	19	WM703013100	6
AAS867300058	28	AT31211060	32	EH390002001	17	WM703020100	6
AAS867300068	28	AT31401002	31	EH390002002	17	WM704013100	5
AF3100025	12	AT31409000	33	EH390002003	17	WM704020100	5
AF3102010	12	AT31409001	33	EM701013001	15	WM710013489	29
AF3102013	12	AT31465000	32	EM701020001	15	WP502313001	7
AF3600025	12	AT32086000	29	EM70202001	15	WP502320001	7
AF3602010	12	AT33054000	33	EM703020001	16	WP615013100	8
AF3602013	12	AX0003543	29	EP501313001	16	WT135024001	10
AF390013001	12	AX0003544	29	EP501320001	16	WT135024002	10
AF390015001	12	EB400620001	17	EP550013001	15	WT135024003	10
AF390024001	12	EB400620002	17	EP550020001	15	WT136624001	10
AM400201100	26	EB400620003	17	EP597013001	7	WT136624002	10
AMF100000	27	EC800013001	19	EP597013001	16	WT136624003	10
AMO310001	21	EC800013002	19	EP597020001	7	WT155346001	9
AMO310002	21	EC800013003	19	EP597020001	16	WT155346002	9
AMO310007	21	EC800020001	19	ES200620001	17	WT155346003	9
AMO530005	22	EC800020002	19	ES200620002	17	WT155646001	9
AMO530005GB	22	EC800020003	19	ES200620003	17	WT155646002	9
AMO540000	22	EC801613001	18	ES206013001	19	WT155646003	9
AS3647622280	26	EC801620001	18	ES206013002	19	WT155846001	9
AS3647622500	26	EC801620002	18	ES206013003	19	WT155846002	9
AS3647622520	26	EC801620003	18	GT525113100	7	WT155846003	9
AS3647624580	26	EC802613001	18	GT525120100	7	WT155946001	9
AS3647624810	26	EC802620001	18	GT525213100	7	WT155946002	9
AS3647625250	26	EC802620002	18	GT525313100	7	WT155946003	9
AS3686356910	26	EC802620003	18	GT551115001	13		
ASF100300	27	EC803613001	18	GT551124001	13		
ASK3199940008	21	EC803620001	18	GT551215001	13		
ASK3199940991	25	EC803620002	18	GT551315001	13		
ASK3199941010	25	EC803620003	18	GT551515001	13		
ASK3199941040	25	EC804613001	19	WB250024001	10		
ASO312082	25	EC804620001	18	WC410155001	11		
ASO312520	24	EC804620002	18	WC420155001	11		
ASO312530	24	EC804620003	18	WC420255001	11		
ASO312540	23	EC811713001	18	WC430155001	11		
ASO319000	23	EC811720001	18	WC430255001	11		
ASO319050	23	EC811720002	18	WC440155001	11		
ASO319934	24	EC811720003	18	WC470155001	11		

Passion for Floors

Established in 1919, Bona is a world leading floor care innovator with unique systems for both wooden and resilient surfaces. Through subsidiaries and distributors, we are present in more than 90 countries, allowing us to stay close to our customers and craftsmen.

Our commitment and passion for floors enable us to offer long-lasting and sustainable results, meeting the needs of professionals and homeowners alike.