



Bona Machine  
**ELITE • FLEET**

# Sanding product catalogue

Complete range of sanding machines and abrasives

**Bona**<sup>®</sup>



## Full range of models within each category

The key to great sanding results lies in the perfect combination of machines and abrasives used. The Bona Elite Fleet is a comprehensive, fully compatible range that is designed to perform in all professional and semi-professional sanding tasks.

Regardless of whether you are a full professional in need of the highest square-metre capacity, a craftsman requiring a flexible solution, or a dedicated semi-pro looking for a safe, reliable result, the Bona Elite Fleet has got an ideal solution within each product category.

- |                      |                         |
|----------------------|-------------------------|
| 1. Belt sanders      | 7. Dust-free sanding    |
| 2. Edge sanders      | 8. Vacuum cleaners      |
| 3. FlexiSand Pro     | 9. Other machines       |
| 4. Expansion sanders | 10. Sanding Accessories |
| 5. Buffers           | 11. Abrasives           |
| 6. Mini buffers      |                         |



## Sanding – Machines

### Belt sanders

Bona Belt HD by KUNZLE & TASIN

The Bona Belt HD sanding machine makes big jobs seem small. It is a true heavy-duty machine with tremendous power and effectiveness. The unique dual-speed pulley system and infinite drum pressure adjustment guarantee optimum sanding quality regardless of wood species. It can be easily disassembled into three parts, and quickly reassembled. Power, reliability and capability as an effective all-around belt sander.

**Application:** For sanding of all kinds of wooden and parquet floors, especially effective on big surfaces and heavy-duty applications

#### Key Benefits:

- Heavy weight for powerful sanding
- Dual speed for optimum sanding result
- Infinite pressure adjustment: up to 50% of its weight can be adjusted to the sanding drum
- Easy fitting and changing of paper, no tools needed
- Can fit distressing drums to texture wood floors on site

#### Technical Data:

**Weight:** 38 kg  
**Drum width:** 200 mm  
**Sanding belt size:** 200 x 750 mm  
**Motor power:** 2.0 and 4.0 kW  
**Total weight:** 85 kg  
**Drum revolutions:** 1850 and 2050 rpm



Drum width	Article number	Effect	Volt / Hertz	Package/pallet
200 mm	AMK170000	4 kW	230 V / 50 Hz	
200 mm	AMK171000	2.99 kW	400 V / 50 Hz	
200 mm	AMK170001	4 kW	230 V / 50 Hz	
200 mm	AMK170002	2.99 kW	230 V / 60 Hz	
200 mm	AMK172000	2.99 kW	230 V / 50 Hz	
200 mm	AMK172001	2.99 kW	230 V / 50 Hz	
200 mm	AMK171010	4 kW	220 V / 60 Hz	

Bona Belt by KUNZLE & TASIN

The compact design makes the Bona Belt simple to manoeuvre and the specially designed transport cart makes the machine easy to transport in between jobs. Powerful and effective, with two optional drum widths, 200 and 250 mm, makes it a versatile belt machine for many purposes. The machine can be disassembled and reassembled quickly and easily. The Bona Belt has a very efficient vacuum that minimises dust. The easy-start function ensures reliable startup under all conditions.

**Application:** For sanding all kinds of wooden and parquet floors.

#### Key Benefits:

- Adaptive to many needs
- Compact design makes the machine simple to manoeuvre and easy to transport
- Unique construction with a simple change of drums with either a 200 mm or a 250 mm width
- Ergonomically designed feather handle for raising and lowering of drum
- Very efficient vacuuming
- Adjustments can be made from top of machine
- Large front and side covers make the drum and tension roller easy to reach
- Transport cart for easy transportation between sites

#### Technical Data:

**Drum width:** 200 mm alt. 250 mm  
**Sanding belt size:** 200 x 750 mm alt. 250 x 750 mm  
**Easy start:** Enables 1-push start on a 10 A fuse  
**Motor power:** 1-phase 2.2 KW  
**Total weight:** 74 kg  
**Drum revolutions:** 1750 rpm  
**Dust discharge:** < 2 mg / m<sup>3</sup> air



Drum width	Article number	Effect	Volt / Hertz	Package/pallet
250 mm	AMO110000.3			
200 mm	AMO110001.3			





# Sanding – Machines

## Belt sanders

### Bona Belt Lite by KÜNZLE & TASIN

The Bona Belt Lite sanding machine is a compact belt sander able to do great jobs. Designed to be the perfect combination of efficiency, power and agility. It can be easily disassembled into three parts, and quickly reassembled in a few simple steps.

**Application:** For sanding all kinds of wooden and parquet floors

**Key Benefits:**

- Optimal balance between weight and drum pressure
- Superior manoeuvrability
- Light weight of 60 kg
- Infinite pressure adjustment: up to 50% of its weight can be adjusted to the sanding drum
- Easy fitting and changing of paper, no tools needed
- Can fit distressing drums to texture wood floors on site

**Technical Data:**

**Drum width:** 200 mm  
**Sanding belt size:** 200 x 750 mm  
**Motor power:** 2.2 kW  
**Total weight:** 60 kg  
**Drum revolutions:** 2400 rpm



Type	Article number	Effect	Volt / Hertz	Package/pallet
200 mm	AMK175000		2.2 kW / 230 V / 50 Hz	
200 mm	AMK175001		2.2 kW / 230 V / 50 Hz	
200 mm	AMK175010		2.2 kW / 220 V / 60 Hz	

## Edge sanders

### Bona Edge XL by KÜNZLE & TASIN

The longer-armed Bona Edge XL (220 mm) is an extremely powerful lightweight edge sander. It can be fitted with 'holed discs' or Velcro-backed discs and picks up dust better than most edge sanders on the market. It is equipped with lamps for better visibility and is easy to operate.

**Application:** For edge sanding of all kinds of wooden floors and parquet floors

**Key Benefits:**

- Effective dust pickup
- High sanding ability
- Powerful motor
- Efficient vacuuming
- Very maneuverable
- For both discs with holes and Velcro discs
- Easy to carry

**Technical Data:**

**Disc diameter:** 178 mm  
**Motor power:** 1-phase 2.0 kW  
**Total weight:** 14.5 kg  
**Length sanding arm:** 220 mm  
**Disc speed:** 3000 rpm  
**Dust discharge:** < 1 mg / m<sup>3</sup> air



Type	Article number	Effect	Volt / Hertz	Package/pallet
130 mm	AMO230018.3			



# Sanding – Machines

## Edge sanders

### Bona Edge by KÜNZLE & TASIN

The more compact Bona Edge is an extremely powerful lightweight edge sander. It can be fitted with 'holed discs' or Velcro-backed discs and picks up dust better than most edge sanders on the market. It is equipped with lamps for better visibility and its shorter sanding arm improves manoeuvrability, which makes the machine easier to control.

**Application:** For edge sanding of all kinds of wooden floors and parquet floors

**Key Benefits:**

- Effective dust pickup
- High sanding ability
- Very manoeuvrable
- Powerful motor
- Efficient vacuuming
- Lightweight
- For both discs with holes and velcro discs

**Technical Data:**

**Disc diameter:** 178 mm  
**Motor power:** 1-phase 2.0 kW  
**Total weight:** 14.5 kg alt. 15.5 kg  
**Length sanding arm:** 130 mm  
**Disc speed:** 3000 rpm  
**Dust discharge:** < 1 mg / m<sup>3</sup> air



Type	Article number	Effect	Volt / Hertz	Package/pallet
220 mm	AMO230009.3			
330 mm	AMO230010.3			

### Bona CombiEdge by KÜNZLE & TASIN

The Bona CombiEdge is a lightweight and flexible edge sander. Easily switch between a 120 mm short-arm edger or a 330 mm long-arm sander in just a few simple steps. The 330 mm arm provides excellent reach under deep toe kicks and radiators. The lightweight and highly efficient edge-sanding machine is also fitted with a frontal LED light for better visibility.

**Application:** For edge sanding of all kinds of wooden floors and parquet floors

**Key Benefits:**

- Easily switchable arm for sanding under stairs
- Very manoeuvrable
- Lightweight
- Medium sanding ability
- Efficient vacuuming
- Safety operating switch button on the handle

**Technical Data:**

**Discs diameter:** 150 mm  
**Motor power:** 1.15 kW  
**Total weight:** Short arm 7.5 kg; Long arm 8.3 kg  
**Length sanding arm:** 125 mm  
**Disc speed:** 3300 rpm



Type	Article number	Effect	Volt / Hertz	Package/pallet
150 mm	AMK282000		1.15 kW / 230 V / 50 Hz	
150 mm	AMK282001		1.15 kW / 240 V / 50 Hz	
150 mm	AMK282010		1.15 kW / 115 V / 60 Hz	
150 mm	AMK280000		1.15 kW / 230 V / 50 Hz	
150 mm	AMK280001		1.15 kW / 240 V / 50 Hz	
150 mm	AMK280002		1.15 kW / 230 V / 50 Hz	
150 mm	AMK280010		1.15 kW / 115 V / 60 Hz	
150 mm	AMK281000		1.15 kW / 230 V / 50 Hz	
150 mm	AMK281001		1.15 kW / 240 V / 50 Hz	
150 mm	AMK281002		1.15 kW / 230 V / 50 Hz	
150 mm	AMK281010		1.15 kW / 115 V / 60 Hz	

### Bona CombiEdge Short

### Bona CombiEdge Long



# Sanding – Machines

Edge sanders	Type	Article number	Effect	Volt / Hertz	Package/pallet
--------------	------	----------------	--------	--------------	----------------

## Bona DualEdge by KÜNZLE & TASIN

The Bona DualEdge is a steering sander that can be operated linearly as well as in circular motions. It is equipped with counter-rotating 100 mm dual-head discs, which give stability, high speed, and drive the dust towards the dust extractor. Bona DualEdge has a LED front light for better illumination. The revolutionary concept greatly increases working speed.

**Application:** For edge sanding of all kinds of wooden floors and parquet floors

### Key Benefits:

- Counter-rotating dual head discs
- Close to corners – less final sanding needed
- Very manoeuvrable
- High sanding and working speed
- Lightweight
- Efficient vacuuming
- Safety operating switch button on the handle

### Technical Data:

**Discs:** 2, contra-rotating  
**Discs diameter:** 100 mm  
**Motor power:** 1.15 kW  
**Total weight:** 9 kg  
**Length sanding arm:** 155 mm  
**Disc speed:** 4500 rpm



150 mm	AMK270000	1.15 kW	230 V / 50 Hz	
150 mm	AMK270001	1.15 kW	240 V / 50 Hz	
150 mm	AMK270010	1.15 kW	115 V / 60 Hz	

## Bona FlexiSand Pro

## Bona FlexiSand 1.5 by KÜNZLE & TASIN

Bona FlexiSand 1.5 is a powerful and flexible machine that can be equipped with different drive plates for a wide variety of floor preparation jobs. With its powerful 1.5 kW motor and robust construction, it operates smoothly and easily even with heavy jobs. Bona FlexiSand 1.5 is compatible with the Bona Power Drive, a unique drive plate that allows powerful, direction-free sanding down to bare wood.

**Application:** For sanding all kinds of wooden and parquet floors

### Key Benefits:

- Powerful, single-speed motor
- Easy and ergonomic operation
- Foldable handle reduces space required during transportation
- Big wheels for easy transportation
- Connects with the Bona DCS 70 for dust-free sanding
- Compatible with the Bona Power Drive

### Technical Data:

**Motor type:** 1 phase  
**Voltage (+/- 5%):** 230 V ~  
**Frequency:** 50 Hz  
**Power:** 1.5 kW  
**Rated current:** 8.5 A  
**Safety devices**  
**10 A overload switch (manual reset), thermal protection in the motor (automatic reset)**  
**Recommended fuse: 10 A**  
**Abrasive disc speed:** (unloaded) 147 rpm  
**Total weight:** 45 kg  
**Diameter of disc:** 407 mm (16")  
**Height / Width / Depth:** 1170 mm / 490 mm / 640 mm



Ø 407 mm	AMO310001			
----------	-----------	--	--	--



# Sanding – Machines

Bona FlexiSand Pro	Type	Article number	Packaging	Pcs/transport package	Package/pallet
--------------------	------	----------------	-----------	-----------------------	----------------

## Bona Power Drive



The innovative Bona Power Drive creates a new dimension for sanding down to bare wood. Using a direction-free sanding technique, the drive combines excellent performance with easy operation. Four rotating discs sand closely to the walls, which reduces the need for edge sanding. The geared plate as well as the revolving discs ensures increased power for excellent performance in bare wood sanding when used in combination with Bona 8700 Ceramic abrasive.

**Application:** For sanding all kinds of wooden and parquet floors down to bare wood

Ø 407 mm	ASO312540		1	
----------	-----------	--	---	--

## Bona Quattro Disc



Bona Quattro Disc is perfect for reducing and smoothing out drum marks and rotational scratches from edger machines. Bona Quattro Disc will optimise your sanding results on wooden floors. The four grinding plates (150 mm) increase the grinding pressure and enables effective sanding without compromising a smooth end results. Ventilated discs for improved dust exhaust.

Ø 407 mm	ASO312530	4 x Ø 150 mm	1	
----------	-----------	--------------	---	--

## Bona Diamond Disc



Bona Diamond Disc is delivered with diamond segments mounted on the plate. Diamond segments are suitable for most sanding purposes on concrete floors and will maintain the same sharpness during their entire lifetime. They are specially developed for removing the sinter layer from levelling compounds and/or screeds.

Ø 407 mm	ASO312550		1	
----------	-----------	--	---	--

## Bona PCD Disc



Disc with PCD segments for more aggressive sanding and removal of adhesive residues, carpet foam and paint.

Ø 407 mm	ASO312560		1	
----------	-----------	--	---	--



# Sanding – Machines

## Expansion sanders

### Bona Scorpion by KUNZLE & TASIN

The Bona Scorpion expansion drum sanding machine is designed to be a lightweight professional tool that can be easily and very safely operated by any user. It is very popular among rental chains of all over the world. Unique electrical power supply safety features such as the “dead man” handle device guarantee safe operation. Bona Scorpion is the perfect combination of functionality, reliability, safety, and ease of use.

**Application:** For sanding of all kinds of wooden and parquet floors by users of all proficiency levels: professionals, semi-professionals or DIY users

#### Key Benefits:

- Compact, yet effective
- Light weight of 45 kg
- “Dead man” electrical safety feature on handle
- Easy fitting and changing of paper sleeve, no tools needed
- Step-less pressure adjustment
- Can fit distressing drums to texture wood floors on site

#### Technical Data:

- Drum width:** 200 mm
- Sanding belt size:** 200 x Ø 480 mm
- Motor power:** 1.5 kW
- Total weight:** 45 kg
- Drum revolutions:** 3000 rpm



Type	Article number	Effect	Volt / Hertz	Package/pallet
200 mm	AMK180000	1.5 kW	230 V / 50 Hz	
200 mm	AMK180002	1.5 kW	230 V / 50 Hz	
200 mm	AMK180011	1.5 kW	115 V / 50 Hz	
200 mm	AMK180001	1.5 kW	240 V / 50 Hz	
200 mm	AMK180010	1.5 kW	115 V / 60 Hz	

### Bona Scorpion DCS by KUNZLE & TASIN

Delivering the same performance and ease of operation as the Bona Scorpion, the DCS version comes with the attached Dust Care System which operates on an independent switch, and it can also be connected to other machines.

The vacuum unit consists of a disposable paper bag and an additional HEPA filter. Bona Scorpion DCS is the perfect combination of functionality, reliability, safety, ease of use and dust-free sanding.

**Application:** For sanding of all kinds of wooden and parquet floors by users of all proficiency levels: professionals, semi-professionals or DIY users.

#### Key Benefits:

- DCS vacuum on board
- Light weight of 43 kg
- Operating button on handle
- 3 levels of pressure adjustment
- Easy fitting and changing of paper sleeve, no tools needed
- Can fit distressing drums to texture wood floors on site

#### Technical Data:

- Drum width:** 200 mm
- Sanding belt size:** 200 x Ø 480 mm
- Motor power:** 1.3 kW + 1.2 kW (vacuum unit)
- Total weight:** 43 kg
- Drum revolutions:** 3000 rpm



Type	Article number	Effect	Volt / Hertz	Package/pallet
200 mm	AMK185000	1.3 kW	230 V / 50 Hz	
200 mm	AMK185001	1.3 kW	230 V / 50 Hz	
200 mm	AMK185010	1.3 kW	115 V / 50 Hz	
200 mm	AMK185011	1.3 kW	115 V / 60 Hz	



# Sanding – Machines

## Buffers

### Bona Buffer

Bona Buffer is used in a variety of floor work situations. It can be used for functions such as fine sanding bare wood, cutting back grain raise between coats of varnish, oil application, cleaning etc. Bona Buffer is a stable machine with low vibration and is equipped with an engine with proven reliability.

**Application:** For fine sanding, cutting back grain raise etc.



#### Key Benefits:

- Stable performance for a variety of sanding situations
- Low vibration and reliable engine

#### Technical Data:

- 6-terminal motor with reinforced torque
- 1600 W / 220–240 V @ 50 Hz
- 440 mm wide
- 380 mm mounting plate
- 330 mm high
- 33 kg

Ø 407 mm

AMC739000B

## Mini buffers

### Bona Mini Buffer

The Bona Mini Buffer is a single-speed buffing machine for buffing wooden floors and easier sanding of varnished surfaces. Smooth running, features an anti-vibration system for ease of use.



#### Technical Data:

- Total power max:** 290 W, 240 V @ 50–60 Hz
- Working width:** 300 mm
- Working height:** 250 mm
- Weight:** 13 kg

Ø 300 mm

AMC718010



## Sanding – Machines

Dust-free sanding	Type	Article number	Packaging	Pcs/transport package	Package/pallet
-------------------	------	----------------	-----------	-----------------------	----------------

### Bona DCS 70

The Bona DCS 70 is a powerful tool for completely dust-free sanding. Its two-step cyclonic separation and unique filter design effectively contains dust within the machine. It is highly portable and can be easily connected to your sanding machine, helping you keep your working environment clean and reducing your working time.

**Application:** For dust-free sanding of all kinds of wooden and parquet floors

**Key Benefits:**

- 2-step cyclonic separation and unique filter
- Healthier working conditions – in compliance with new regulations
- Totally sealed system – unique seamless bag system, no dust can escape when changing dust bag
- Greater customer satisfaction because of sanding without dust and reduced odour
- Exclusive design from Bona – unique separation process
- Ergonomic – designed for easy use and transport
- Superb end-result after applying finish because no dust is left on the surface of the bare wood
- Made for professional use – robust, high quality machine for flooring contractors

**Technical Data:**

**Weight:** 43 kg  
**Dimensions:** 800 mm x 600 mm x 1200 mm  
**Collection capacity:** Approx. 70 litres  
**Motor:** 1400 W, 230 V, 5 A  
**Air flow:** 235 m<sup>3</sup> / hour  
**Coarse filter:** Conical folded polyester filter, 1.0 m<sup>2</sup>  
**Fine filter:** Class H 13 (99.996%, 0.3 µm), 1.0 m<sup>2</sup>  
**Hose aperture:** Ø 35 mm  
**Length of hose:** 7.5 m including connection adapters for: Bona Belt, Bona FlexiDrum, Bona Edge and Bona Mini Edge and Bona Edge 130



Vacuum cleaners	Type	Article number	Packaging	Pcs/transport package	Package/pallet
-----------------	------	----------------	-----------	-----------------------	----------------

### Bona S20 vacuum cleaner

A powerful, manoeuvrable and robust vacuum cleaner for cleaning hard floors, carpets, furniture etc. The unit can be connected to the Bona Buffer with a 4 m hose, allowing effective dust removal.

**Application:** For cleaning hard floors, carpets, furniture etc. or connection to Bona Buffer for dust removal

**Technical Data:**

**Total power max:** 230 V, 1100 W  
**Water pillar:** 1900 mm  
**Dust bag capacity:** 10 L  
**Cable length:** 10 m  
**Weight:** 10 kg



AMC020000

1

### Hitachi CV 300 vacuum cleaner

A light and powerful vacuum cleaner for cleaning of hard floors, carpets, furniture etc.

**Technical Data:**

**Weight:** 4.5 Kg  
**Motor power:** 1300 W / 230V  
**Dust container:** 7.5 L  
**Hose length:** 3 m  
**Cable length:** 10 m



AM45001000

1



## Sanding – Machines

Other Machines	Type	Article number	Packaging	Pcs/transport package	Package/pallet
----------------	------	----------------	-----------	-----------------------	----------------

### Bona Power Stripper

Can be operated either by hand or as a floor stripper with extension handle. Easy operation by the use of a foot switch. Adjustable hand-grips for easy fitting. For removing bonded floor coverings on foam, textile, parquet, semi-flexible tiles or PVC.



**Technical Data:**

**Working width:** 210 mm  
**Power:** 2.0 kW  
**Oscillations:** 6500 U/min  
**Weight:** 12.8 kg  
**Noise level:** 85 dB (A)

AM43021000

1



Bona Machine  
**ELITE • FLEET**





# Sanding – Accessories

Accessories for Belt Sanders	Type	Article number	Packaging	Pcs/transport package	Package/pallet
------------------------------	------	----------------	-----------	-----------------------	----------------

## Extra weight

A 7 kg weight for increased sanding performance.



7 kg

ASO991110

1

## Transport cart

Transport cart for easier transport of Bona Belt.



ASO995022

1

## Safety belt

Safety belt to be used with sanding machines.



ASO991215

1

## Bona CEE Adapter

With this adapter you can use Bona Belt and DCS-cable as a common 230 V cable.



ASO903670

1

## Bona Soft Starter Adapter

Soft starter to run each machine when you have problems with the power/fuses.



ASO903690

1

Accessories for FlexiSand Pro	Type	Article number	Packaging	Pcs/transport package	Package/pallet
-------------------------------	------	----------------	-----------	-----------------------	----------------

## LED lamp

Accessory for Bona FlexiSand 1.5 including two LED lamps.



### Key Benefits:

- Easy and ergonomic operation
- Foldable handle to minimise space during transportation
- Big wheels for easy transportation
- Connects with the Bona DCS70 for dust-free sanding
- Prepared for the Bona Power Drive

ASO319000

1



# Sanding – Accessories

Accessories for FlexiSand Pro	Type	Article number	Packaging	Pcs/transport package	Package/pallet
-------------------------------	------	----------------	-----------	-----------------------	----------------

## Sanding pad for Bona Quattro Disc

Replacement for broken or used pads on the Quattro Disc.



ASO319934

4 x Ø 150 mm

4

## Diamond segment for Bona Diamond Disc

Replacement segment for Diamond Disc.



ASO319940

5 x Diamond segments

5

## Bona PCD segment set for PCD Disc

Replacement segment for PCD Disc.



ASO319941

5 x PCD segments

5

Accessories for Buffers	Type	Article number	Packaging	Pcs/transport package	Package/pallet
-------------------------	------	----------------	-----------	-----------------------	----------------

## Extra Weight

Mount on machine for extra pressure.


5.7 kg

ASC3611478

1

## Drive disc with hooks

Pad driver.



Ø 407 mm

ASC742069

1

## Sanding disc

Sanding disc for double-sided discs.



Ø 407 mm

ASC742077

1






## Sanding – Accessories

Accessories for Buffers	Type	Article number	Packaging	Pcs/transport package	Package/pallet
<b>Quattro disc</b>  Quattro sanding disc for Bona Buffer.	Ø 407 mm	ASC742080	4 x Ø 150 mm	1	
<b>Vaccum unit ASO5</b>  Attaches on the Bona Buffer and reduces airborne dust.		ASC780920B		1	
<b>Technical Data:</b> Total power: 1100 W / 230 V V Vacuum: 250 mbar Volume filter: 4.5 L Noise level: 62 dBA Weight: 4.8 kg Working width: 28/29/57 cm					
<b>Bona Buffer vacuum sealing ring</b>  Dust skirt for Bona Buffer to prevent dust escape.	Ø 407 mm	ASC74765		1	
<b>Bona Buffer dust bag</b>  Disposable paper dust bag.		ASC25430		1	
<b>Bona Buffer cloth filter bags</b>  Reusable cloth filter bag.		ASC025435		1	
Accessories for Mini Buffers	Type	Article number	Packaging	Pcs/transport package	Package/pallet
<b>Drive disc</b>  Drive disc for Bona Mini Buffer.	Ø 300 mm	ASC718070		1	



## Sanding – Abrasives

Abrasives Ceramic	Type	Article number	Packaging	Pcs/transport package	Package/pallet
<b>Bona 8700 Ceramic Belt</b>  Bona 8700 Ceramic Abrasives are specially developed for coarse sanding of hard lacquers like urea formaldehyde. In combination with 8300 antistatic, it is a perfect system for achieving the best wooden floor surface. The extreme high performance is made possible by a grit type containing ceramic aluminium oxide, which results in an aggressiveness for optimal removal.					
	200 x 750 mm	Grit 36	AAS469500363		1
	200 x 750 mm	Grit 50	AAS469500503		1
	250 x 750 mm	Grit 36	AAS469600363		1
	250 x 750 mm	Grit 50	AAS469600503		1
<b>Bona 8700 Ceramic Roll</b>  Bona 8700 Ceramic Abrasives are specially developed for coarse sanding of hard lacquers like urea formaldehyde. In combination with 8300 antistatic, it is a perfect system for achieving the best wooden floor surface. The extreme high performance is made possible by a grit type containing ceramic aluminium oxide, which results in an aggressiveness for optimal removal.					
	203 mm x 10 m	Grit 36	AAS470700361		1
	203 mm x 10 m	Grit 50	AAS470700501		1
	254 mm x 10 m	Grit 36	AAS470800361		1
	254 mm x 10 m	Grit 50	AAS470800501		1
	305 mm x 10 m	Grit 36	AAS470900361		1
	305 mm x 10 m	Grit 50	AAS470900501		1
<b>Bona 8700 Ceramic Disc</b>  Discs for Bona MultiDisc. Bona 8700 Ceramic Abrasives are specially developed for coarse sanding of hard lacquers like urea formaldehyde. In combination with 8300 antistatic, it is a perfect system for achieving the best wooden floor surface. The extreme high performance is made possible by a grit type containing ceramic aluminium oxide, which results in an aggressiveness for optimal removal.					
	125 mm	Grit 36	AAS471600365		25
	125 mm	Grit 50	AAS471600505		25
	150 mm	Grit 36	AAS471700365		25
	150 mm	Grit 50	AAS471700505		25
	178 mm	Grit 36	AAS471800365		25
	178 mm	Grit 50	AAS471800505		25





# Sanding – Abrasives

Abrasives for Bona Dual Edge	Dimension	Grit	Article number	Packaging	Pcs/transport package
------------------------------	-----------	------	----------------	-----------	-----------------------

## Bona 8700 Ceramic Disc

Discs designed for Bona Dual Edge.



100 mm	P 36	AAS472800365		
100 mm	P 50	AAS472800506		

## Abrasives Zircon

### Bona 8300 Antistatic Zircon Belt

Optimal silicon carbide/zirconium mix on the abrasive surface ensures fast sanding results – taking you further. Improved antistatic and smooth performance reduces clogging to a minimum, adding square-metre results. Contains self-sharpening material for a longer lifetime.

#### Key Benefits:

- Cotton cloth backing
- Electrostatic dust release
- Efficient dust-extraction
- Cleaner floor surfaces
- Improvement of surface quality



Dimension	Grit	Article number	Packaging	Pcs/transport package
200 mm x 750 mm	Grit 24	AAS467700243		10
200 mm x 750 mm	Grit 36	AAS467700363		10
200 mm x 750 mm	Grit 40	AAS467700403		10
200 mm x 750 mm	Grit 60	AAS467700603		10
200 mm x 750 mm	Grit 80	AAS467700803		10
200 mm x 750 mm	Grit 100	AAS467701003		10
200 mm x 750 mm	Grit 120	AAS467701203		10
200 mm x 750 mm	Grit 150	AAS467701503		10
250 mm x 750 mm	Grit 24	AAS467800243		10
250 mm x 750 mm	Grit 36	AAS467800363		10
250 mm x 750 mm	Grit 40	AAS467800403		10
250 mm x 750 mm	Grit 60	AAS467800603		10
250 mm x 750 mm	Grit 80	AAS467800803		10
250 mm x 750 mm	Grit 100	AAS467801003		10
250 mm x 750 mm	Grit 120	AAS467801203		10



# Sanding – Abrasives

Abrasives Zircon	Dimension	Grit	Article number	Packaging	Pcs/transport package
------------------	-----------	------	----------------	-----------	-----------------------

### Bona 8300 Antistatic Zircon Sleeve

Optimal silicon carbide/zirconium mix on the abrasive surface ensures fast sanding results – taking you further. Improved antistatic and smooth performance reduces clogging to a minimum, adding square-metre results. Contains self-sharpening material for a longer lifetime.

#### Key Benefits:

- Cotton cloth backing
- Electrostatic dust release
- Efficient dust-extraction
- Cleaner floor surfaces
- Improvement of surface quality




200 x 551 mm	Grit 24	AAS467600243		10
200 x 551 mm	Grit 36	AAS467600363		10
200 x 551 mm	Grit 40	AAS467600403		10
200 x 551 mm	Grit 36	AAS467600603		10
200 x 551 mm	Grit 80	AAS467600803		10
200 x 551 mm	Grit 100	AAS467601003		10
200 x 551 mm	Grit 120	AAS467601203		10

### Bona 8300 Antistatic Zircon Roll

Optimal silicon carbide/zirconium mix on the abrasive surface ensures fast sanding results – taking you further. Improved antistatic and smooth performance reduces clogging to a minimum, adding square-metre results. Contains self-sharpening material for a longer lifetime.

#### Key Benefits:

- Cotton cloth backing
- Electrostatic dust release
- Efficient dust-extraction
- Cleaner floor surfaces
- Improvement of surface quality



203 mm x 25 m	Grit 24	AAS466300241		1
203 mm x 25 m	Grit 36	AAS466300361		1
203 mm x 25 m	Grit 40	AAS466300401		1
203 mm x 25 m	Grit 60	AAS466300601		1
203 mm x 25 m	Grit 80	AAS466300801		1
203 mm x 25 m	Grit 100	AAS466301001		1
203 mm x 25 m	Grit 120	AAS466301201		1
254 mm x 25 m	Grit 24	AAS466400241		1
254 mm x 25 m	Grit 36	AAS466400361		1
254 mm x 25 m	Grit 40	AAS466400401		1
254 mm x 25 m	Grit 60	AAS466400601		1
254 mm x 25 m	Grit 80	AAS466400801		1
254 mm x 25 m	Grit 100	AAS466401001		1
254 mm x 25 m	Grit 120	AAS466401201		1
254 mm x 25 m	Grit 220	AAS466402201		1



# Sanding – Abrasives

## Abrasives Zircon

### Bona 8300 Antistatic Zircon Disc

Optimal silicon carbide/zirconium mix on the abrasive surface ensures fast sanding results – taking you further. Improved antistatic and smooth performance reduces clogging to a minimum, adding square-metre results. Contains self-sharpening material for a longer lifetime.

#### Key Benefits:

- Cotton cloth backing
- Electrostatic dust release
- Efficient dust-extraction
- Cleaner floor surfaces
- Improvement of surface quality



Dimension	Grit	Article number	Packaging	Pcs/transport package
Ø 125 mm	Grit 60	AAS471200606		50
Ø 125 mm	Grit 80	AAS471200806		50
Ø 125 mm	Grit 100	AAS471201006		50
Ø 125 mm	Grit 120	AAS471201206		50
Ø 150 mm	Grit 24	AAS467500245		25
Ø 150 mm	Grit 36	AAS467500365		25
Ø 150 mm	Grit 40	AAS467500406		50
Ø 150 mm	Grit 60	AAS467500606		50
Ø 150 mm	Grit 80	AAS467500806		50
Ø 150 mm	Grit 100	AAS467501006		50
Ø 150 mm	Grit 120	AAS467501206		50
Ø 150 mm	Grit 24	AAS470600245		25
Ø 150 mm	Grit 36	AAS470600365		25
Ø 150 mm	Grit 40	AAS470600406		50
Ø 150 mm	Grit 60	AAS470600606		50
Ø 150 mm	Grit 80	AAS470600806		50
Ø 150 mm	Grit 100	AAS470601006		50
Ø 150 mm	Grit 120	AAS470601206		50
Ø 178 mm	Grit 24	AAS467400245		25
Ø 178 mm	Grit 36	AAS467400365		25
Ø 178 mm	Grit 40	AAS467400406		50
Ø 178 mm	Grit 60	AAS467400606		50
Ø 178 mm	Grit 80	AAS467400806		50
Ø 178 mm	Grit 100	AAS467401006		50
Ø 178 mm	Grit 120	AAS467401206		50
Ø 200 mm	Grit 24	AAS471100245		25
Ø 200 mm	Grit 36	AAS471100365		25
Ø 200 mm	Grit 40	AAS471100406		50
Ø 200 mm	Grit 60	AAS471100606		50
Ø 200 mm	Grit 80	AAS471100806		50
Ø 200 mm	Grit 100	AAS471101006		50
Ø 200 mm	Grit 120	AAS471101206		50



# Sanding – Abrasives

## Abrasives for Bona Dual Edge

### Bona 8300 Antistatic Zircon Disc

Discs designed for Bona Dual Edge



Dimension	Grit	Article number	Packaging	Pcs/transport package
100 mm	P 36	AAS472700365		
100 mm	P 60	AAS472700606		
100 mm	P 80	AAS472700806		
100 mm	P 100	AAS472701006		
100 mm	P 120	AAS472701206		


## Abrasives Aluminium Oxide

### Bona 8500 Aluminium Oxide Belt

Where the lifetime of the abrasive is not in focus, Bona 8500 is the classic choice. The aluminium oxide in the abrasive delivers smooth and effective sanding results on a wide range of wooden floors. Together with the cotton cloth backing, 8500 does the job in most wooden floor situations where no extra sanding performance is required.

#### Key Benefits:

- Cotton cloth backing
- Standard abrasive



Dimension	Grit	Article number	Packaging	Pcs/transport package
200 mm x 750 mm	Grit 16	AAS468000163		10
200 mm x 750 mm	Grit 24	AAS468000243		10
200 mm x 750 mm	Grit 36	AAS468000363		10
200 mm x 750 mm	Grit 40	AAS468000403		10
200 mm x 750 mm	Grit 50	AAS468000503		10
200 mm x 750 mm	Grit 60	AAS468000603		10
200 mm x 750 mm	Grit 80	AAS468000803		10
200 mm x 750 mm	Grit 100	AAS468001003		10
200 mm x 750 mm	Grit 120	AAS468001203		10
250 mm x 750 mm	Grit 16	AAS468200163		10
250 mm x 750 mm	Grit 24	AAS468200243		10
250 mm x 750 mm	Grit 36	AAS468200363		10
250 mm x 750 mm	Grit 40	AAS468200403		10
250 mm x 750 mm	Grit 50	AAS468200503		10
250 mm x 750 mm	Grit 60	AAS468200603		10
250 mm x 750 mm	Grit 80	AAS468200803		10
250 mm x 750 mm	Grit 100	AAS468201003		10
250 mm x 750 mm	Grit 120	AAS468201203		10



# Sanding – Abrasives


Abrasives Aluminium Oxide	Dimension	Grit	Article number	Packaging	Pcs/transport package
---------------------------	-----------	------	----------------	-----------	-----------------------

## Bona 8500 Aluminium Oxide Sleeve

Where the lifetime of the abrasive is not in focus, Bona 8500 is the classic choice. The aluminium oxide in the abrasive delivers smooth and effective sanding results on a wide range of wooden floors. Together with the cotton cloth backing, 8500 does the job in most wooden floor situations where no extra sanding performance is required.

### Key Benefits:

- Cotton cloth backing
- Standard abrasive



200 x 551 mm	Grit 16	AAS467900163		10
200 x 551 mm	Grit 24	AAS467900243		10
200 x 551 mm	Grit 36	AAS467900363		10
200 x 551 mm	Grit 40	AAS467900403		10
200 x 551 mm	Grit 50	AAS467900503		10
200 x 551 mm	Grit 60	AAS467900603		10
200 x 551 mm	Grit 80	AAS467900803		10
200 x 551 mm	Grit 100	AAS467901003		10
200 x 551 mm	Grit 120	AAS467901203		10

## Bona 2921 Aluminium Oxide Belt

Where the lifetime of the abrasive is not in focus, Bona 8500 is the classic choice. The aluminium oxide in the abrasive delivers smooth and effective sanding results on a wide range of wooden floors. Together with the cotton cloth backing, 8500 does the job in most wooden floor situations where no extra sanding performance is required.

### Key Benefits:

- Cotton cloth backing
- Standard abrasive



200 mm x 750 mm	Grit 36	AAS439500363		10
200 mm x 750 mm	Grit 40	AAS439500403		10
200 mm x 750 mm	Grit 60	AAS439500603		10
200 mm x 750 mm	Grit 80	AAS439500803		10
200 mm x 750 mm	Grit 100	AAS439501003		10
200 mm x 750 mm	Grit 120	AAS439501203		10

Abrasives for Bona Scorpion	Dimension	Grit	Article number	Packaging	Pcs/transport package
-----------------------------	-----------	------	----------------	-----------	-----------------------

## Bona 8500 Aluminium Oxide Sleeve

Sleeves designed for Bona Scorpion and Bona Scorpion DCS.



200 mm x 480 mm	P 36	AAS472500363		
200 mm x 480 mm	P 40	AAS472500403		
200 mm x 480 mm	P 60	AAS472500603		
200 mm x 480 mm	P 80	AAS472500803		
200 mm x 480 mm	P 100	AAS472501003		
200 mm x 480 mm	P 120	AAS472501203		



# Sanding – Abrasives

Abrasives Silicon Carbide	Dimension	Grit	Article number	Packaging	Pcs/transport package
---------------------------	-----------	------	----------------	-----------	-----------------------

## Bona 8100 Silicon Carbide Roll

Where the lifetime of the abrasive is not in focus, Bona 8100 is the classic choice. The silicon carbide in the abrasive delivers smooth and effective sanding results on a wide range of wooden floors. 8100 does the job in most wooden floor situations where no extra sanding performance is required.

### Key Benefits:

- Grit 16–36: cotton cloth backing
- Grit 40–120: F-paper backing

203 mm x 25 m	Grit 16	AAS466000161		1
203 mm x 25 m	Grit 24	AAS466000241		1
203 mm x 25 m	Grit 36	AAS466000361		1
203 mm x 25 m	Grit 40	AAS466000401		1
203 mm x 25 m	Grit 50	AAS466000501		1
203 mm x 25 m	Grit 60	AAS466000601		1
203 mm x 25 m	Grit 80	AAS466000801		1
203 mm x 25 m	Grit 100	AAS466001001		1
203 mm x 25 m	Grit 120	AAS466001201		1
203 mm x 25 m	Grit 150	AAS466001501		1
250 mm x 25 m	Grit 16	AAS466100161		1
250 mm x 25 m	Grit 24	AAS466100241		1
250 mm x 25 m	Grit 36	AAS466100361		1
250 mm x 25 m	Grit 40	AAS466100401		1
250 mm x 25 m	Grit 50	AAS466100501		1
250 mm x 25 m	Grit 60	AAS466100601		1
250 mm x 25 m	Grit 80	AAS466100801		1
250 mm x 25 m	Grit 100	AAS466101001		1
250 mm x 25 m	Grit 120	AAS466101201		1
305 mm x 25 m	Grit 16	AAS466200161		1
305 mm x 25 m	Grit 24	AAS466200241		1
305 mm x 25 m	Grit 36	AAS466200361		1
305 mm x 25 m	Grit 40	AAS466200401		1
305 mm x 25 m	Grit 50	AAS466200501		1
305 mm x 25 m	Grit 60	AAS466200601		1
305 mm x 25 m	Grit 80	AAS466200801		1
305 mm x 25 m	Grit 100	AAS466201001		1
305 mm x 25 m	Grit 120	AAS466201201		1





# Sanding – Abrasives


Abrasives Silicon Carbide	Dimension	Grit	Article number	Packaging	Pcs/transport package
---------------------------	-----------	------	----------------	-----------	-----------------------

## Bona 8100 Silicon Carbide Disc


Disc for Bona MiniEdge and Bona QuattroDisc. Where the lifetime of the abrasive is not in focus, Bona 8100 is the classic choice. The silicon carbide in the abrasive delivers smooth and effective sanding results on a wide range of wooden floors. 8100 does the job in most wooden floor situations where no extra sanding performance is required.

### Key Benefits:

- Grit 16–36: cotton cloth backing
- Grit 40–120: F-paper backing



Ø 150 mm	Grit 16	AAS466900165		25
Ø 150 mm	Grit 24	AAS466900245		25
Ø 150 mm	Grit 36	AAS466900365		25
Ø 150 mm	Grit 40	AAS466900406		50
Ø 150 mm	Grit 50	AAS466900506		50
Ø 150 mm	Grit 60	AAS466900606		50
Ø 150 mm	Grit 80	AAS466900806		50
Ø 150 mm	Grit 100	AAS466901006		50
Ø 150 mm	Grit 120	AAS466901206		50
Ø 150 mm	Grit 150	AAS466901506		50
Ø 150 mm	Grit 36	AAS468400365		25
Ø 150 mm	Grit 40	AAS468400406		50
Ø 150 mm	Grit 50	AAS468400506		50
Ø 150 mm	Grit 60	AAS468400606		50
Ø 150 mm	Grit 80	AAS468400806		50
Ø 150 mm	Grit 100	AAS468401006		50
Ø 150 mm	Grit 120	AAS468401206		50
Ø 178 mm	Grit 16	AAS467100165		25
Ø 178 mm	Grit 24	AAS467100245		25
Ø 178 mm	Grit 36	AAS467100365		25
Ø 178 mm	Grit 40	AAS467100406		50
Ø 178 mm	Grit 50	AAS467100506		50
Ø 178 mm	Grit 60	AAS467100606		50
Ø 178 mm	Grit 80	AAS467100806		50
Ø 178 mm	Grit 100	AAS467101006		50
Ø 178 mm	Grit 120	AAS467101206		50
Ø 200 mm	Grit 16	AAS466600165		25
Ø 200 mm	Grit 24	AAS466600245		25
Ø 200 mm	Grit 36	AAS466600365		25
Ø 200 mm	Grit 40	AAS466600406		50
Ø 200 mm	Grit 50	AAS466600506		50
Ø 200 mm	Grit 60	AAS466600606		50
Ø 200 mm	Grit 80	AAS466600806		50
Ø 200 mm	Grit 100	AAS466601006		50
Ø 200 mm	Grit 100	AAS466601206		50
Ø 200 mm	Grit 150	AAS466601506		50



# Sanding – Abrasives


Abrasives Silicon Carbide	Dimension	Grit	Article number	Packaging	Pcs/transport package
---------------------------	-----------	------	----------------	-----------	-----------------------

## Bona 8100 Silicon Carbide Double-sided Disc

Discs for Bona FlexiSand 1.5 and Bona Buffer. Where the lifetime of the abrasive is not in focus, Bona 8100 is the classic choice. The silicon carbide in the abrasive delivers smooth and effective sanding results on a wide range of wooden floors. 8100 does the job in most wooden floor situations where no extra sanding performance is required.

### Key Benefits:

- Grit 16–36: cotton cloth backing
- Grit 40–120: F-paper backing



Ø 407 mm	Grit 16	AAS466800163		10
Ø 407 mm	Grit 24	AAS466800243		10
Ø 407 mm	Grit 36	AAS466800363		10
Ø 407 mm	Grit 40	AAS466800403		10
Ø 407 mm	Grit 50	AAS466800603		10
Ø 407 mm	Grit 60	AAS466800803		10
Ø 407 mm	Grit 80	AAS466801003		10
Ø 407 mm	Grit 100	AAS466801203		10

## Abrasives for Bona Dual Edge

Dimension	Grit	Article number	Packaging	Pcs/transport package
-----------	------	----------------	-----------	-----------------------

## Bona 8100 Silicon Carbide Disc

Sleeves designed for Bona Scorpion and Bona Scorpion DCS.



100 mm	P 36	AAS472600365		
100 mm	P 60	AAS472600606		
100 mm	P 80	AAS472600806		
100 mm	P 100	AAS472601006		
100 mm	P 120	AAS472601206		

## Abrasives Delta

Dimension	Grit	Article number	Packaging	Pcs/transport package
-----------	------	----------------	-----------	-----------------------

## Delta Abrasive Paper

For Fein and Bosch.



82 x 82 x 82	Grit 40	AAS872100406		50
82 x 82 x 82	Grit 60	AAS872100606		50
82 x 82 x 82	Grit 80	AAS872100806		50





# Sanding – Abrasives

Pads	Dimension	Grit	Article number	Packaging	Pcs/transport package
------	-----------	------	----------------	-----------	-----------------------

## Bona Scrad Pad



Pad for Bona FlexiSand 1.5 and Bona Buffer. The Bona Scrad System is a unique abrasive system specially suited for intermediate sanding between coats of varnish. It combines an abrasive Scrad Wing with a soft conditioning pad that cuts off wood fibers and smoothes out scratches at the same time. The Scrad Wing has a Velcro backing that easily attaches to the Scrad Pad. If you hate scratches then you're going to love the Bona Scrad System.

Ø 407 mm x 8 mm	Grit 320	AAS854303208		5
Ø 330 mm x 8 mm	Grit 320	AA970740		5

## Bona Scrad Wing



Bona Scrad Wing with Velcro backing used with Bona Scrad Pad.

Delta	Grit 120	AAS468601206		50
Delta	Grit 150	AAS468601506		50
Delta	Grit 220	AAS468602206		50

Smooth	White – backing for sanding screen. Can also be used for buffing polish.
	Tan (beige) – for polishing
	Red – for daily cleaning
	Green – for periodic cleaning and oil maintenance
	Brown – for oil application
Rough	Black – for heavy duty cleaning and polish stripping

Pads	Type	Article number	Packaging	Package/pallet
------	------	----------------	-----------	----------------

## Bona Superpad 407 mm



Pad for Bona FlexiSand 1.5 and Bona Buffer.

White	AAS867300058	Ø 407 mm x 23 mm	5
Tan	AAS867300038	Ø 407 mm x 23 mm	5
Red	AAS867300048	Ø 407 mm x 23 mm	5
Green	AAS867300028	Ø 407 mm x 23 mm	5
Brown	AAS867300068	Ø 407 mm x 23 mm	5
Black	AAS867300018	Ø 407 mm x 23 mm	5

## Bona Superpad 280 mm



Pad for Bona Mini Buffer.

White	AA68041000	Ø 280 mm x 25 mm	5
Tan	AA68042000	Ø 280 mm x 25 mm	5
Red	AA68043000	Ø 280 mm x 25 mm	5



# Sanding – Abrasives

Pads	Type	Article number	Packaging	Package/pallet
------	------	----------------	-----------	----------------

## Bona Superpad with EAN code



Pad for Bona FlexiSand 1.5 and Bona Buffer.

White	AAS68011000	Ø 407 mm x 23 mm	5
Tan	AAS867300028	Ø 407 mm x 23 mm	5
Green	AAS867300068	Ø 407 mm x 23 mm	5
Black	AAS867300018	Ø 407 mm x 23 mm	5

## Bona Pad 407 mm



Pad for Bona FlexiSand 1.5 and Bona Buffer.

White	AA68001000	Ø 407 mm x 8 mm	10
Tan	AA68002000	Ø 407 mm x 8 mm	10
Green	AA68003000	Ø 407 mm x 8 mm	10
Black	AA68004000	Ø 407 mm x 8 mm	10

## Bona Pad 200 mm



Pad for Lägler Trio.

White	AA68053000	Ø 200 mm x 8 mm	
Tan	AA68052000	Ø 200 mm x 8 mm	
Red	AA68055000	Ø 200 mm x 8 mm	
Green	AA68054000	Ø 200 mm x 8 mm	

## Bona Wool Pad



Pad for Bona FlexiSand 1.5 and Bona Buffer. The pad is made of genuine sheep wool for application of oil and polishing of oiled or waxed floors. Wool produces higher heat towards the surface compared to synthetic pads which improves the penetration of oil into the wood and accelerates the drying process. Contains natural lanolin (wool wax) for a satin finish. Highly recommended for Bona Oils.

**Key Benefits:**  
• 100% wool pad

AA68071000	Ø 407 mm x 8 mm	8
------------	-----------------	---

## Microfiber Pad

Pad for Bona Mini Buffer.

ASC718906	Ø 300 mm	1
-----------	----------	---



# Sanding – Abrasives


Screens	Dimension	Grit	Article number	Packaging	Pcs/transport package
---------	-----------	------	----------------	-----------	-----------------------

## Bona Sanding Screen, double-sided 407 mm

Screen for Bona FlexiSand 1.5 and Bona Buffer. Sanding screens are used to prepare and condition the surface prior to coating. They are also used when cutting back the grain raise once the finish has been applied. Screens are extremely durable and the perfect product to be used when preparing an old, previously finished floor that is to be re-coated. For sanding all kinds of wooden and parquet floors.

### Key Benefits:

- Non-clogging
- Open mesh structure for improved dust extraction
- Double-sided



Ø 407 mm	Grit 60	AAS867100603		10
Ø 407 mm	Grit 80	AAS867100803		10
Ø 407 mm	Grit 100	AAS867101003		10
Ø 407 mm	Grit 120	AAS867101203		10
Ø 407 mm	Grit 150	AAS867101503		10
Ø 407 mm	Grit 180	AAS867101803		10
Ø 407 mm	Grit 220	AAS867102203		10

## Bona Sanding Screen, double-sided 280 mm

Screen for Bona Mini Buffer. Sanding screens are used to prepare and condition the surface prior to coating. They are also used when cutting back the grain raise once the finish has been applied. Screens are extremely durable and the perfect product to be used when preparing an old, previously finished floor that is to be re-coated. For buffing of all kinds of wooden floors and parquet floors.

### Key Benefits:

- Non-clogging
- Open mesh structure for improved dust extraction
- Double-sided



Ø 280 mm	Grit 80	AAS872000803		10
Ø 280 mm	Grit 100	AAS872001003		10
Ø 280 mm	Grit 120	AAS872001203		10

## Bona Sanding Screen, double-sided 200 mm

Sanding screen for Lägler Trio. The screens are used to prepare and condition the surface prior to coating. They are also used when cutting back the grain raise once the finish has been applied. Screens are extremely durable and the perfect product to be used when preparing an old, previously finished floor that is to be re-coated. For buffing of all kinds of wooden floors and parquet floors.

### Key Benefits:

- Non-clogging
- Open mesh structure for improved dust extraction
- Double-sided



Ø 200 mm	Grit 80	AAS903700808		30
Ø 200 mm	Grit 100	AAS903701008		30
Ø 200 mm	Grit 120	AAS903701208		30
Ø 200 mm	Grit 150	AAS903701508		30



# Sanding – Abrasives

Abrasives Diamond	Dimension	Grit	Article number	Packaging	Pcs/transport package
-------------------	-----------	------	----------------	-----------	-----------------------

## Bona Diamond Abrasive 125 mm



Disc for Bona MultiDisc. Diamond Abrasives for superficial abrasion of all types of hard coatings especially pre-finished parquet, prior to overcoating with new varnish. Using the unique hardness of diamonds, one set of diamond abrasives lasts at least 100 m<sup>2</sup>.

### Key Benefits:

- Long lifetime
- Very good adhesion on prefinished parquet

Ø 125 mm	Grit 240	AAS471902408		12
----------	----------	--------------	--	----

## Bona Diamond Abrasive 150 mm



Disc for Bona QuattroDisc and Bona PowerDrive. Diamond Abrasives for superficial abrasion of all types of hard coatings especially pre-finished parquet, prior to overcoating with new varnish. Using the unique hardness of diamonds, one set of diamond abrasives lasts at least 100 m<sup>2</sup>.

### Key Benefits:

- Long lifetime
- Very good adhesion on prefinished parquet

Ø 150 mm	Grit 240	AAS472002408		8
----------	----------	--------------	--	---

## Bona Intermediate Pad



Pad for Bona MultiDisc. Pressure-equalising foam insulation. Helps the sanding disc contour to the surface. Attach to Bona MultiDisc before attaching Diamond Abrasives.

### Key Benefits:

- Good sanding result

Ø 125 mm		AAS472102408		3
Ø 150 mm		AAS472200008		4

## Bona Cleaning Pad



Pad for Bona MultiDisc. Picks up residual dust after sanding with diamond abrasive. Suitable for cleaning small floor areas.

### Key Benefits:

- Dust pickup

Ø 125 mm		AAS472300008		12
Ø 150 mm		AAS472400008		8

## Diamant Schleifscheiben

Ø 150 mm		AAS472000808		
Ø 150 mm		AAS472001208		

# **Bona**<sup>®</sup>

*Passion for wood floors*

Established in 1919, Bona is a world leading innovator with a unique system for wooden floor treatment. Through subsidiaries and distributors we have local presence in more than 50 different countries enabling us to be close to our customers and craftsmen.

Our long commitment and passion for wooden floors enable us to offer lasting, sustainable results that meet all wooden floor needs for professionals and floor owners alike.

